8.3.4 Collection of urine specimen:

8.3.4.1 Method of collecting single urine specimen :

Single urine specimen means the amount of urine voided at a time. Usually the morning specimens are collected. The amount of 100-120 ml of urine will be sufficient for the usual tests.

After cleaning the genital, the client passes urine into clean urinal or a clean kidney tray or directly in to specimen bottle, taking care not to spill the urine on the out side of the container.

8.3.4.2 Method to collect Midstream specimen for culture:

Ask the client to clean the genital area with soap and water then rinse in water alone. In female clients the labia are separated for cleaning and kept apart until the urine had been collected. In male client, the foreskin should be retracted and the glans penis is cleaned before the collection of the urine.

The client begins to void in to the toilet, commode or bed pan. Than the client stops the stream of urine, the sterile container is positioned and continues to void in to the container. When enough urine has been voided, for specimen, the client stops the stream again; the container is removed and then finishes voiding in the original receptacle.

8.3.4.3 Method of collecting 24 hours urine specimen:

24 hours urine specimen means to collect all the urine voided in 24 hours. The collection of urine begins at 6AM and discard the whole urine. All the subsequent voiding should be measured and collected in the bottle and labelled. Continue to collect till morning. Ask the client to void at 6 -AM on the next day and add it to the previously collected.

8.3.4.4 Method of collecting urine specimen from unconscious clients and children:

In male babies or unconscious male clients, take a test tube, a barrel of syringe or nirodh or condom with rubber tubing and is attached to the penis. It is kept in place by adhesive tapes. In female attach a wide mouthed container or a funnel with rubber tubing to the vulva by means of a T binder. The rubber tubing is connected to a bottle and the urine is collected in the bottle.

8.3.5 Method of collecting sputum specimen:

Water proof disposable sputum cups or wide mouthed containers are used to collect the sputum specimen. The client should be given the container and is instructed to raise the material from the lungs and not simply expectorating the saliva or discharges from the nose or throat. The sputum should be collected before brushing the teeth and the food. Mouth can be rinsed with plain water, not any antiseptic mouth washes.

8.3.6 Method of collecting stool specimen:

Water proof disposable sputum cups or wide mouthed containers are provide with necessary instructions. The client passes stool in a clean bedpan. A small amount of stool is removed with a stick or spatula and is placed in the container. Discard the stick in the waste bin.

Nursing-Gen_Chapter 08.indd 149 07/05/18 12:56 PM