
Color	Approximate glucose mg/dl	Indication
Orange ppt	1500-2000 mg/dl	+++
Red to Brick red ppt	>2000 mg/dl	++++

7.2 Test for albumin

- Fill three-fourth of a test tube with filtered urine (filtering removes pus if present).
- See the reaction of the urine is acidic. If found alkaline, add one drop of acetic acid and make it acidic.
- Heat the upper third of the urine over sprit lamp and allow it to boil.
- A cloud may appear either due to phosphate or albumin.
- Add acidic acid drop by drop in to the test tube.
- If the urine is still cloudy it indicates the presence of albumin.
- If it becomes clear it indicates the presence of phosphates.
- No albumin is presence in the normal urine.
- If the urine is highly acidic or highly alkaline, the reading will be false.

7.3 Test for acetone

- Take 5 ml of urine in a test tube and saturate it with ammonium sulphate.
- Add a small crystal of sodium nitroprusside and mix well.
- Slowly run along the side of the test tube liquor ammonia to form a layer.



- In purple at the junction indicates a

Special points

- Keep reagent tablets in a cool, dry place at a temperature below 86°F(30° C).
- Do not refrigerate the reagent tablets and strips.
- Keep the container tightly closed.
- Do not use discolored or outdated tablets or strips.

7.4 Test for bile salts (hey's test)

- Take half of urine sample in a test tube.
- Sprinkle sulphur powder on the surface of the urine.
- If the powder sinks down to the test tube, it indicated the presence of bile salts.
- This is because, bile salts reduce the surface tension of the urine and allows the sulphur powder to sink down.

Test for bile pigments

- Fill three-fourth of a test tube with urine.
- Add iodine drops along the sides of the test tube, so as to form the layer on the surface of the urine.
- A green color at the junction of the two liquids indicates the presence of bile pigments.
- Discard the urine and clean the test tube.

Practical 7_295-296.indd 296 07/05/18 4:00 PM