


Fig. 7.5 Calc Scrolling bar

7.3.1.6 Row, Column, Cell and Cell Pointer

Below the formula bar contains the worksheet of work area which consit of grid cells The worksheet has number of rows and columns, where each column is labelled as A, B, C, D ….. AA, AB, AC ….. and the rows are numbered from 1, 2, 3 …. (Figure 7.6).

OpenOffice Calc version 4.1.5 contains 1024 columns and 10,48,576 rows. Column heading starts from A and end with AMJ. In the case of Microsoft Excel 2016, there are 16,384 columns (A to XFD) and 10,48,576 rows available.

Cell

Intersection of each row and column makes a box which is called as "Cell". Each cell has its unique address. Cell address is the combination of column heading and row number. For example, the intersection of column B and row 4 makes a cell B4. (Figure 7.7). Every cell is thus identified by its unique cell address.

Cell pointer is a rectangle box which can be moved around the worksheet. The cell in which the cell pointer is currently located is known as **"Active cell".** When you type anycontent, it will appear in the active cell. The address of the active cell is displayed in the Name box / Address box. Active cell's column name and row number will be highlighted. Using this visual clue, one can easily identify an active cell. Moreover, the contents of an active cell will be displayed in the formula bar.

Chapter 7.indd 107 3/20/2020 11:37:09 AM