The general form of comments:

<! comments >

10.7 Container and Empty Elements

The HTML elements (Tags) can be classified as two types – (1) Container elements (2) Empty elements.

Container Elements:

- The tags which are required opening and closing is known as container elements or tags. For example: <html>, <body>, <title>, <p> etc.,

Empty Elements:

- The tags which are required only opening tag is known as empty elements or tags. For example:

Points to Remember:

- HTML (Hyper Text Markup Language) is a special markup language used to create web pages
- HTML is not a word processing tool or a programming language.
- HTML is made up of tags and its attributes.
- Tags are known as elements of HTML.
- Attribute is special word used inside tag to specify additional information to the tag such as color, alignment etc.
- Every web document has two sections viz. Heading Section and Body Section.
- <html>, <head>, <title> and <body> these four tags are known as structural tags
- List of HTML tags from Section-I

Table 10.3

Opening Tag	Closing Tag	Type	Function	Attributes	Contains	Used inside
<html>	</html>	Container	Delimits a complete HTML document	Dir, Lang	<head>, <body>	
<head>	</head>	Container	Defines the function header	--	<title>	<html>
<title>	</title>	Container	Defines the document title	--	Text	<head>

Chapter 10 Pages 28-53.indd 233 3/20/2020 11:39:11 AM