browser program to start interpreting all the text between these tags as a script commands.

The syntax of JavaScript segment in Hyper Text Markup Language (HTML) or Dynamic Hyper Text Markup Language (DHTML) is as follows:

<script language="javascript" type="text/javascript">

JavaScript code

</script>

The <SCRIPT> tag takes two important attributes –

Language – This attribute specifies that the scripting language. Typically, its value will be **javascript**. Although recent versions of HTML (EXtensible HyperText Markup Language - XHTML, its successor) have phased out the use of this attribute is optional.

Type – This attribute is used to indicate the scripting language and its value should be set to "text/javascript".

14.3.1 Steps to follow to code JavaScript Language


- Enter HTML and JavaScript code using any text editor.
- Save the latest version of this code.
- Use any browser to see the result. For example : Internet Explorer, Google Crome, etc.,
- If this is a new document, open the file via browser's **Open Menu.** If the document is already loaded in the Memory, to reload the file into the browser use **"Refresh"** or press **F5** button.

14.3.2 First JavaScript Program

Illustration 14.1 Simple JavaScript Program

```
<Html>
    <Head>
    <Title>My First JavaScript Program</Title>
    <script language="javascript" type="text/javascript">
    document.write("Hello World!")
</script>
</Head>
<Body>
</Body>
</Html>
```

Output:



14.4 Lexical Structure of a JavaScript Program

The lexical structure of a programming language is the set of elementary rules that specifies how to write programs in that language. It is the lowest-level syntax of a language. The

Chapter 14 Pages 127-153.indd 295 3/20/2020 11:44:35 AM