15.1.1.3 switch case Statement:

JavaScripts offers the **switch** statement as an alternate to using **if...else** structure. The switch statement is especially useful when testing all the possible results of an expression. The syntax of a switch structure as the following:

```
switch(expression)
{
`       case label1:
                statements1;
                break;
        case label2:
                statements2;
                break;
        case labeln;
                statements - N;
                break;
        default:
                statements;
}
```

15.1.1.4 Break and Default Statement

The switch statement begins by evaluating an expression placed between parenthesis, much like the if statement. The result compared to labels associated with case structure that follow the switch statement. If the result is equal to a label, the statements in the corresponding case structure are executed. The **default** structure is can be at the end of a switch structure if the result of the expression that do not match any of the case labels. The **break** statement is also used commonly within switch to exit the statement once the appropriate choice is found.

Illustration 15.4 Using Switch Statement

```
<Html>
                <Head>
                <Title>Program - To test witch command in JavaScript </Title>
                </Head>
        <Body>
        <script language="javascript" type="text/javascript">
        var grade=0;
        var marks=prompt("Please enter your marks/100:","0");
        if(marks>90)
        {grade=1;}
        else if(marks>70)&&(marks<=90)
        {grade=2;}
        else if(marks>50)&&(marks<=70)
        {grade=3;}
```


Chapter 15 Pages 154-175.indd 320 3/20/2020 11:44:53 AM