Soil Type	Characteristics	Distribution	Crops growing
Alluvial soil	**Khadar** – light coloured, more siliceous. **Bhangar** – the older alluvium composed of lime nodules and has clayey composition. It is dark in colour. **Formation** - sediments deposited by streams and rivers when they slowly loose **Chemical properties** - rich in potash, phosphoric acid, lime and carbon compounds but poor in nitrogen **Nature** –Sandy-loam-silt-clay profile shows no marked differentiation	Ganga and Brahmaputra river valleys; Plains of Uttar Pradesh, Uttaranchal, Punjab, Haryana, West Bengal and Bihar and river mouth of east coast.	Rice, Wheat, Sugarcane and Oilseeds
Black soils	**Formation** - Derived from basalts of Deccan trap. **Colour** - black colour, due to presence of titanium, iron. **Chemical properties** - Consist of calcium and magnesium corbonates, high quantities of iron, aluminium, lime and magnesia. Rich in potash lime, Aluminium calcium and magnesium poor in Nitrogen Phosphoric acid and humus **Nature** - Sticky when wet High degree of moisture retentivity	Maharashtra and Malwa plateaus, Kathiawar peninsula, Telangana and Rayalaseema region of Andhra Pradesh and northern part of Karnataka	Cotton, Millets, Tobacco and Sugarcane
Red soils	**Formation** - decomposition of ancient crystalline rocks like granites and gneisses and from rock type **Chemical properties** - rich in minerals such as iron and magnesium. Deficient in nitrogen, humus, phosphoric acid and lime. **Nature** - Light texture, porous friable presence of limited soluble salts Clay fraction of the red soils generally consists of Kaolinitic minerals.	Eastern parts of Deccan plateau, southern states of Kerala, Tamil Nadu, Karnataka and Chota Nagpur plateau (Jharkhand)	Wheat, Rice, Cotton, Sugarcane and Pulses
Laterite soils	**Formation** - formed in the regions where alternate wet and hot dry conditions prevail. It is formed by the process of leaching **Chemical properties** - Composed mainly of hydrated oxides of iron and aluminium, **Nature** - More acidic on higher areas poor in high level, cannot retain moisture while plains they consist of heavy loam and clay and easily retain moisture	Assam hills, hill summits of Kerala and Karnataka and eastern Ghats and region of Odisha	Coffee, Rubber, Cashewnut and Tapioca

13_Geography_Unit_3_EM.indd 155 11-04-2020 12:32:03