The statistical tables may further be classified into two broad classes namely simple tables and complex tables. A simple table summarizes information on a single characteristic and is also called a univariate table.

Example 3.8

The marks secured by a batch of students in a class test are displayed in Table 3.8

Table 3.8
Marks of Students

Marks	0 - 10	10 - 20	20 - 30	30 – 40	40 - 50	50 - 60
Number of Students	10	12	17	20	15	6

This table is based on a single characteristic namely marks and from this table one may observe the number of students in each class of marks. The questions such as the number of students scored in the range 50 – 60, the maximum number of students in a specific range of marks and so on can be determined from this table.

A complex table summarizes the complicated information and presents them into two or more interrelated categories. For example, if there are two coordinate factors, the table is called a two-way table or bi-variate table; if the number of coordinate groups is three, it is a case of three-way tabulation, and if it is based on more than three coordinate groups, the table is known as higher order tabulation or a manifold tabulation.

Example 3.9

Table 3.9 is an illustration for a two-way table, in which there are two characteristics, namely, marks secured by the students in the test and the gender of the students. The table provides information relating to two interrelated characteristics, such as marks and gender of students. It is observed from the table that 26 students have scored marks in the range 40 – 50 and among them students, 16 are males and 10 are females.

Table 3.9
Marks of Students

Marks	Number of Students		Total
	Males	Females	
30 – 40	8	6	14
40 – 50	16	10	26
50 – 60	14	16	30
60 - 70	12	8	20
70 – 80	6	4	10
Total	56	44	100

Ch3_11th Stats.indd 51 2/3/2019 10:58:15 AM