ACTIVITY 2

What is required?

A big bottle, a balloon, threads, candle, water, fork

What to do?

- Take one big bottle, and fill some water in it.
- Attach one balloon on the mouth of bottle and fix it with thread.
- Hold bottle with a fork. Heat the bottle with a candle and take observation.
- What change occurs in the state of balloon after heating the bottle?

- What change occurs in the state of balloon after heating the bottle?

Why? ----------


Now, let the bottle get cooled down.

What change occurs in the state of balloon after bottle gets cool down?

Why? ----------

When gases substance gets heat, it expands; when it cools it contracts.

Why does a tyre get burst in summer? ----------



flowing back into the bulb when the thermometer is taken out of the patient's mouth, so that the temperature can be noted conveniently. There are temperature scales on either side of the mercury thread, one in Celsius scale and the other in Fahrenheit scale. Since the Fahrenheit scale is more sensitive than the Celsius scale, body temperature is measured in F only. A clinical thermometer indicates temperatures from a minimum of 35°C or 94°F to a maximum of 42°C or 108°F.



Precautions to be Followed While Using a Clinical Thermometer

- The thermometer should be washed before and after use, preferably with an antiseptic solution.
- Jerk the thermometer a few times to bring the level of the mercury down.
- Before use, the mercury level should be below 35°C or 94°F.
- Do not hold the thermometer by its bulb.
- Keep the mercury level along your line of sight and then take the reading.
- Handle the thermometer with care. If it hits against some hard object, it may break.
- Do not place the thermometer in a hot flame or in the hot sun.

1.4.2 Laboratory Thermometers

Laboratory thermometers are used to measure the temperature in school and other laboratories for scientific research. They are also used in the industry as they can measure temperatures higher than what clinical thermometers can record. The stem and the bulb of a lab thermometer are longer when compared to that of a clinical thermometer and

VII Std Science Term-2 EM Unit 1.indd 4 20-07-2019 1.46.39 PM