Pyridoxine and Pyridoxamine. Pyridoxal 5 phosphate is the co-enzyme form of pyridoxine.

- **Functions:** Pyridoxal 5 phosphate acts as a coenzyme in protein metabolism. Its functions include
  - Amino acid transport.
  - Essential for the growth of infants.
- **Food sources:** Good food sources include grains, seeds, liver, kidney and other meats.




- **Deficiency:** Clinical Symptoms of pyridoxine deficiency have not been clearly defined. Some types of angular stomatitis (cracking at the corners of the lips) and certain types of anaemia have been reported due to decreased intake of pyridoxine.

(e) Folic acid: The term folic acid was coined to as it was first extracted from dark green leafy vegetables such as spinach.

- **Functions:** The different functions of folate include:
  - Normal growth and division of all cells.
  - Maturation of red blood cells.
  - Vital role in the metabolism of some amino acids.
- **Food sources:** The rich sources of folate are fish, mutton, liver, egg, chicken, green leafy vegetables and pulses.



- **Deficiency:** Deficiency of folic acid causes megaloblastic anaemia. Megaloblasts appear in bone marrow and peripheral blood. Poor dietary intake of folic acid, low absorption, increased losses, increased requirements, infestation, infection and drugs also cause folic acid deficiency. Symptoms include weakness, tiredness, dyspnea, sore tongue, headache and palpitation. Folate



Chapter5_088-119.indd 22 18-01-2019 12:29:18