
EXAMPLE 3.4

Apply Newton's second law to a mango hanging from a tree. (Mass of the mango is 400 gm)

Solution


Note: Before applying Newton's laws, the following steps have to be followed:

1) Choose a suitable inertial coordinate system to analyse the problem. For most of the cases we can take Earth as an inertial coordinate system.
2) Identify the system to which Newton's laws need to be applied. The system can be a single object or more than one object.
3) Draw the free body diagram.
4) Once the forces acting on the system are identified, and the free body diagram is drawn, apply Newton's second law. In the left hand side of the equation, write the forces acting on the system in vector notation and equate it to the right hand side of equation which is the product of mass and acceleration. Here, acceleration should also be in vector notation.
5) If acceleration is given, the force can be calculated. If the force is given, acceleration can be calculated.



By following the above steps:

We fix the inertial coordinate system on the ground as shown in the figure.




The forces acting on the mango are

i) Gravitational force exerted by the Earth on the mango acting downward along negative y axis

ii) Tension (in the cord attached to the mango) acts upward along positive y axis.

The free body diagram for the mango is shown in the figure



$$\vec{F}_g = mg\left(-\hat{j}\right) = -mg\hat{j}$$

Here, mg is the magnitude of the gravitational force and $\left(-\hat{j}\right)$ represents the unit vector in negative y direction

$$\vec{T} = T\hat{j}$$

UNIT-3(XI-Physics_Vol-1).indd 116 28-01-2020 13:47:46