


Figure 3.12 Object moving in an inclined plane

To draw the free body diagram, the block is assumed to be a point mass (Figure 3.13 (a)). Since the motion is on the inclined surface, we have to choose the coordinate system parallel to the inclined surface as shown in Figure 3.13 (b).

The gravitational force mg is resolved in to parallel component $mg\sin\theta$ along the inclined plane and perpendicular component $mg\cos\theta$ perpendicular to the inclined surface (Figure 3.13 (b)).

Note that the angle made by the gravitational force (mg) with the perpendicular to the surface is equal to the angle of inclination θ as shown in Figure 3.13 (c).

There is no motion(acceleration) along the y axis. Applying Newton's second law in the y direction

$$-mg\cos\theta\hat{j}+N\hat{j}=0\left(No\ acceleration\right)$$

By comparing the components on both sides, $N-mg\cos\theta=0$

$$N=mg\cos\theta$$

The magnitude of normal force (N) exerted by the surface is equivalent to $mg\cos\theta$.

The object slides (with an acceleration) along the x direction. Applying Newton's second law in the x direction

$$mg\sin\theta\hat{i}=ma\hat{i}$$

By comparing the components on both sides, we can equate

$$mg\sin\theta=ma$$

The acceleration of the sliding object is

$$a=g\ sin\theta$$




Figure 3.13 (a) Free body diagram, (b) mg resolved into parallel and perpendicular components (c) The angle θ_2 is equal to θ

UNIT-3(XI-Physics_Vol-1).indd 123 28-01-2020 13:48:00