the plane of disc with angular velocities ω_1 and ω_2. They are brought in to contact face to face coinciding the axis of rotation. The expression for loss of energy during this process is,

(a) $\frac{1}{4}I(\omega_1-\omega_2)^2$ (b) $I(\omega_1-\omega_2)^2$

(c) $\frac{1}{8}I(\omega_1-\omega_2)^2$ (d) $\frac{1}{2}I(\omega_1-\omega_2)^2$

[NEET 2017]

10. A disc of moment of inertia I_a is rotating in a horizontal plane about its symmetry axis with a constant angular speed ω. Another discinitially at rest of moment of inertia I_b is dropped coaxially on to the rotating disc. Then, both the discs rotate with same constant angular speed. The loss of kinetic energy due to friction in this process is,

(a) $\frac{1}{2}\frac{I_b^{\,2}}{(I_a+I_b)}\omega^2$

(b) $\frac{I_b^{\,2}}{(I_a+I_b)}\omega^2$

(c) $\frac{(I_b-I_a)^2}{(I_a+I_b)}\omega^2$

(d) $\frac{1}{2}\frac{I_bI_b}{(I_a+I_b)}\omega^2$ [AIPMT 2001]

11. The ratio of the acceleration for a solid sphere (mass m and radius R) rolling down an incline of angle θ without slipping and slipping down the incline without rolling is,

(a) 5:7 (b)2:3 (c) 2:5 (d) 7:5

[AIPMT 2014]

12. From a disc of radius R a mass M, a circular hole of diameter R, whose rim passes through the centre is cut. What is the moment of inertia of the remaining part of the disc about a perpendicular axis passing through it

(a) $15MR^2/32$ (b) $13MR^2/32$

(c) $11MR^2/32$ (d) $9MR^2/32$

[NEET 2016]

13. The speed of a solid sphere after rolling down from rest without sliding on an inclined plane of vertical height h is,

(a) $\sqrt{\frac{4}{3}gh}$ (b) $\sqrt{\frac{10}{7}gh}$

(c) $\sqrt{2gh}$ (d) $\sqrt{\frac{1}{2}gh}$

14. The speed of the centre of a wheel rolling on a horizontal surface is v_o. A point on the rim in level with the centre will be moving at a speed of speed of,

(a) zero (b) v_o

(c) $\sqrt{2}\,v_o$ (d) $2v_o$

[PMT 1992, PMT 2003, IIT 2004]

15. A round object of mass M and radius R rolls down without slipping along an inclined plane. The frictional force,

(a) dissipates kinetic energy as heat.

(b) decreases the rotational motion.

(c) decreases the rotational and transnational motion

(d) converts transnational energy into rotational energy

[PMT 2005]

Answers:

1) d	2) a	3) d	4) b
5) a	6) d	7) a	8) a
9) a	10) d	11) a	12) b
13) b	14) c	15) d	

UNIT-5(XI-Physics_Vol-1).indd 261 28-01-2020 13:56:54