$$\frac{\Delta x}{x}\times 100 = 2\frac{\Delta a}{a}\times 100 \; +3\frac{\Delta b}{b}\times 100$$
$$+\frac{\Delta c}{c}\times 100 + \frac{1}{2}\frac{\Delta d}{d}\times 100$$

$$= (2\times 4\%) + (3\times 2\%) + (1\times 3\%) + (\tfrac{1}{2}\times 1\%)$$

$$= 8\% + 6\% + 3\% + 0.5\%$$

The percentage error is $x = 17.5\%$

1.7 SIGNIFICANT FIGURES

1.7.1 Definition and Rules of Significant Figures

Suppose we ask three students to measure the length of a stick using metre scale (the least count for metre scale is 1 mm or 0.1 cm). So, the result of the measurement (length of stick) can be any of the following, 7.20 cm or 7.22 cm or 7.23 cm. Note that all the three students measured first two digits correctly (with confidence) but last digit varies from person to person. So, the number of meaningful digits is 3 which communicate both measurement (quantitative) and also the precision of the instrument used. Therefore, significant number or significant digit is 3. It is defined as the **number of meaningful digits which contain numbers that are known reliably and first uncertain number**.

Examples: The significant figure for the digit 121.23 is 5, significant figure for the digit 1.2 is 2, significant figure for the digit 0.123 is 3, significant digit for 0.1230 is 4, significant digit for 0.0123 is 3, significant digit for 1230 is 3, significant digit for 1230 (with decimal) is 4 and significant digit for 20000000 is 1 (because $20000000 = 2 \times 10^7$ has only one significant digit, that is, 2).

In physical measurement, if the length of an object is $l = 1230$ m, then significant digit for l is 4.

The rules for counting significant figures are given in Table 1.9.

EXAMPLE 1.10

State the number of significant figures in the following

i) 600800
ii) 400
iii) 0.007
iv) 5213.0
v) $2.65\times 10^{24}\, m$
vi) 0.0006032

Solution: i) four ii) one iii) one iv) five v) three vi) four

1.7.2 Rounding Off

Calculators are widely used now-a-days to do calculations. The result given by a calculator has too many figures. In no case should the result have more significant figures than the figures involved in the data used for calculation. The result of calculation with numbers containing more than one uncertain digit should be rounded off. The rules for rounding off are shown in Table 1.10.

EXAMPLE 1.11

Round off the following numbers as indicated

i) 18.35 up to 3 digits
ii) 19.45 up to 3 digits
iii) 101.55×10^6 up to 4 digits
iv) 248337 up to digits 3 digits
v) 12.653 up to 3 digits.

UNIT-1(XI-Physics_Vol-1).indd 27 28-01-2020 13:37:10