Points to Contemplate

If Kepler's third law was "r^3T^2 = constant" instead of "$\frac{r^3}{T^2}$ = constant" what would be the new law of gravitation? Would it still be an inverse square law? How would the gravitational force change with distance? In this new law of gravitation, will Neptune experience greater gravitational force or lesser gravitational force when compared to the Earth?

EXAMPLE 6.2

Moon and an apple are accelerated by the same gravitational force due to Earth. Compare the acceleration of the two.

The gravitational force experienced by the apple due to Earth

$$F = -\frac{GM_E M_A}{R^2}$$

Here M_A– Mass of the apple, M_E– Mass of the Earth and R – Radius of the Earth.

Equating the above equation with Newton's second law,

$$M_A a_A = -\frac{GM_E M_A}{R^2}.$$

Simplifying the above equation we get,

$$a_A = -\frac{GM_E}{R^2}$$

Here a_A is the acceleration of apple that is equal to 'g'.

Similarly the force experienced by Moon due to Earth is given by

$$F = -\frac{GM_E M_m}{R_m^2}.$$

Here R_m- distance of the Moon from the Earth, M_m – Mass of the Moon

The acceleration experienced by the Moon is given by

$$a_m = -\frac{GM_E}{R_m^2}.$$

The ratio between the apple's acceleration to Moon's acceleration is given by

$$\frac{a_A}{a_m} = \frac{R_m^2}{R^2}.$$

From the Hipparchrus measurement, the distance to the Moon is 60 times that of Earth radius. $R_m = 60R$.

$$a_A / a_m = \frac{(60R)^2}{R^2} = 3600.$$

The apple's acceleration is 3600 times the acceleration of the Moon.

The same result was obtained by Newton using his gravitational formula. The apple's acceleration is measured easily and it is 9.8 m s^{-2}. Moon orbits the Earth once in 27.3 days and by using the centripetal acceleration formula, (Refer unit 3).

$$\frac{a_A}{a_m} = \frac{9.8}{0.00272} = 3600$$

which is exactly what he got through his law of gravitation.

UNIT-6(XI-Physics_Vol-2).indd 8 17-08-2020 16:15:00