and chemical properties. This phenomenon in which the **same molecular formula may exhibit different structural arrangement** is called isomerism. Compounds that have the same molecular formula but different structural formula are called isomers (Greek, isos = equal, meros = parts).

Illustration:

The given formula C_2H_6O is having two kinds of arrangement of atoms as shown below.


(a) CH_3-CH_2-OH (b) CH_3-O-CH_3



Both the compounds have same molecular formula but different kind of arrangements. In compound 'a', the oxygen atom is attached to a hydrogen and a carbon. It is an alcohol. Whereas in compound 'b', the oxygen atom is attached to two carbon atoms and it is an **ether**. These compounds have different physical and chemical properties. You will study about isomerism in detail in higher classes.

15.3.5 Allotropy

Allotropy is a property by which an element can exist in more than one form that are physically different and chemically similar. The different forms of that element are called its allotropes. The main reason for the existence of allotropes of an element is its method of formation or preparation. Carbon exists in different allotropic forms and based on their physical nature they are classified as below.



(a) Crystalline forms of Carbon

Diamond:

- In diamond, each carbon atom shares its four valence electrons with four other carbon atoms forming four covalent bonds.
- Here the atoms are arranged in repeated **tetrahedral** fashion which leads to a **three dimensional structure accounting** for its hardness and rigidity.

Graphite:

- In graphite, each carbon atom is bonded to three other carbon atoms through covalent bonds in the same plane.
- This arrangement forms hexagonal layers which are held together one over other by weak Vander Waals forces.
- Since the layers are held by weak forces, graphite is softer than diamond.

Fullerene:

- The third crystalline allotrope of carbon is fullerene. The best known fullerene is **Buckminster fullerene,** which consists of 60 carbon atoms joined together in a series of 5- and 6- membered to form spherical molecule resembling a soccer ball. So its formula is C_{60}.
- This allotrope was named as **Buckminster fullerene** after the American architect

Table 15.3 Difference between Diamond and Graphite

Diamond	Graphite
Each carbon has four covalent bonds.	Each carbon has three covalent bonds.
Hard, heavy and transparent.	Soft , slippery to touch and opaque.
It has tetrahedral units linked in three dimension.	It has planar layers of hexagon units.
It is a non-conductor of heat and electricity.	It is a conductor of heat and electricity.

IX_SCI_EM_Unit-15_CHE.indd 176 12-02-2020 14:28:55