Table 22.4 Airborne diseases caused by bacteria

Disease	Causative Organism	Mode of Transmission	Tissue/ Organ Affected	Symptoms
Tuberculosis	*Mycobacterium tuberculosis*	Droplet infection from sputum of infected persons	Lungs	Persistent cough, chest pain, loss of weight and appetite
Diphtheria	*Cornyebacterium diphtheriae*	Droplet infection, droplet nuclei	Upper Respiratory tract (nose, throat)	Fever, sore throat, choking of air passage
Whooping Cough	*Bordetalla pertussis*	Droplet infection, direct contact with infected person	Respiratory tract	Mild fever, severe cough ending in whoop (loud crowing inspiration)

22.5 Waterborne Diseases

Microbes present in the contaminated water cause various infectious diseases. Some of the water borne diseases are cholera, typhoid, infectious hepatitis, poliomyelitis, diarrhoea, etc. The most common waterborne diseases and their causative microbial agents, symptoms of these diseases and preventive measure are given in the tables below .

Table 22.5 Waterborne diseases caused by virus

Disease	Causative Organism	Mode of Transmission	Tissue/Organ Affected	Symptoms	Preventive and Control Measures
Poliomyelitis	*Polio virus*	Droplet infection, sputum discharge, secretion from nose, throat, contaminated water, food and milk	Central nervous system	Paralysis of limbs	Salk's vaccine or Oral Polio Vaccine (OPV) is administered
Hepatitis A or Infectious Hepatitis	*Hepatitis A virus (HAV)*	Contaminated water, food and oral route	Inflammation of liver	Nausea, anorexia, acute fever and jaundice	Prevention of food contamination, drinking chlorinated boiled water, personal hygiene
Acute Diarrhoea	*Rotavirus*	Contaminated water, food and oral route	Intestine	Vomiting, fever, watery stools with mucus	Proper sanitation and hygiene

Table 22.6 Waterborne diseases caused by bacteria

Disease	Causative Organism	Mode of Transmission	Tissue/ Organ Affected	Symptoms	Preventive and Control Measures
Cholera (Acute diarrhoeal disease)	*Vibrio cholerae*	Contaminated food, water, oral route and through houseflies	Intestinal tract	Acute diarrhoea with rice watery stools, vomiting, muscular cramps, nausea and dehydration	Hygienic sanitary condition, intake of Oral Rehydration Solution (ORS)
Typhoid (Enteric fever)	*Salmonella typhi*	Food and water contaminated with faeces of infected person and through houseflies	Small intestine	High fever, weakness, abdominal pain, headache, loss of appetite, rashes on chest and upper abdomen	Preventing contamination of food by flies and dust, improvement of basic sanitation, treatment with antibiotic drugs

IX_SCI_EM_Unit-22_BIO.indd 264 06-02-2020 13:26:40