Adaptations of xerophytes

1. They have well developed roots. Roots grow very deep and reach the layers where water is available as in *Calotropis*.
2. They store water in succulent water storing parenchymatous tissues. e.g. *Opuntia*, *Aloe vera*.
3. They have small sized leaves with waxy coating. e.g. *Acacia*. In some plants, leaves are modified into spines. e.g. *Opuntia*.
4. Some of the xerophytes complete their life cycle within a very short period when sufficient moisture is available

24.2.3 Mesophytes

Mesophytes are common land plants which grow in situations that are neither too wet nor too dry. They do not need any extreme adaptations.

Adaptations of mesophytes

1. The roots of mesophytes are well developed and are provided with root caps.
2. The stem is generally straight and branched.
3. The leaves are generally broad and thin.
4. The presence of waxy cuticle in leaves traps the moisture and lessens water loss.
5. Leaves have stomata which close in extreme heat and wind to prevent transpiration.

24.3 Adaptations of Animals

Animals can adapt themselves according to their habitat. Temperature and light are forms of energy which influence various stages of life activities such as growth, metabolism, reproduction, movement, distribution and behaviour. Animals develop special features or behaviour patterns to escape from extreme conditions of temperature and light. In this context, let us study about the adaptive features of bat and earthworm.

24.3.1 Adaptations of Bat

Bats are the only mammals that can fly. Mostly, bats live in caves. Apart from caves, bats also live in trees, hollowed logs and rock crevices. They are extremely important to humans as they reduce insect population and help to pollinate plants. Adaptations of bat in relation to their habitat are explained below.

Nocturnality

Bats are active at night. This is a useful adaptation for them, as flight requires a lot of energy during day. Their thin, black wing membrane (Patagium) may cause excessive heat absorption during the day. This may lead to dehydration.

Flight adaptation

Forelimbs are modified serve wings. Tail supports and controls movements during flight. Muscles are well developed and highly powerful and achieve in beating of wings. Tendons of hind limbs provide a tight grasp when the animals are suspended upside down at rest.

Hibernation

Hibernation is a state of inactivity in which the body temperature drops with a lowered metabolic rate during winter. Bats are warm blooded animals but unlike other mammals, they let their internal temperature reduce when they are resting. They go to a state of decreased activity to conserve energy.

GCQTDV

Echolocation

Bats use a remarkable high-frequency system called echolocation. Bats give out high-frequency sounds (**ultrasonic sounds**). These sounds are reflected back from its prey and perceived by the ear. Bats use these echoes to locate and identify the prey.




Figure 24.6 Bats

IX_SCI_EM_Unit-24_BIO.indd 295 06-02-2020 13:33:47