


Figure 6.8 Chloride shift mechanism

of the respiratory rhythm centre to ensure normal breathing. The chemosensitive area found close to the rhythm centre is highly sensitive to CO_2 and H^+. And H^+ are eliminated out by respiratory process. Receptors associated with the aortic arch and carotid artery send necessary signals to the rhythm centre for remedial action. The role of O_2 is insignificant in the regulation of respiratory rhythm.

Particulate matter PM 2.5 in the air is increasing day by day which causes respiratory illness. Central Pollution Control Board (CPCB) reports that the quality of air is not good due to soot and smoke. So some cities in India are using CNG (Compressed Natural Gas) as fuel.

6.7 Problems in Oxygen transport

When a person travels quickly from sea level to elevations above 8000ft, where the atmospheric pressure and partial pressure of oxygen are lowered, the individual responds with symptoms of **acute mountain sickness** (AMS)– headache, shortness of breath, nausea and dizziness due to poor binding of O_2 with haemoglobin. When the person moves on a long–term basis to mountains from sea level is the body begins to make respiratory and haematopoietic adjustments. To overcome this situation kidneys accelerate production of the hormone erythropoietin, which stimulates the bone marrow to produce more RBCs.

When a person descends deep into the sea, the pressure in the surrounding water increases which causes the lungs to decrease in volume. This decrease in volume increases the partial pressure of the gases within the lungs. This effect can be beneficial, because it tends to drive additional oxygen into the circulation, but this benefit also has a risk, the increased pressure can also drive nitrogen

TN_Govt_Zoology_XI_Std_Ch06.indd 104 09-01-2020 5.16.08 PM