8.7 METALLURGY OF ALUMINIUM

Aluminium is the metal found most abundantly in the Earth's crust. Since it is a reactive metal, it occurs in the combined state. The important ores of aluminium are as follows

Ores of Aluminium	Formula
Bauxite	$Al_2O_3 \cdot 2H_2O$
Cryolite	Na_3AlF_6
Corundum	Al_2O_3

Bauxite is the chief ore of aluminium. The extraction of aluminium from bauxite involves two steps:

(i) Conversion of bauxite into alumina – Baeyer's Process

The conversion of Bauxite into Alumina involves the following steps:

Bauxite ore is finely ground and heated under pressure with a solution of concentrated caustic soda solution at 150° C to obtain sodium meta aluminate.

$$Al_2O_3 + 2\ NaOH \rightarrow 2\ NaAlO_2 + H_2O$$

On diluting sodium meta aluminate with water, a precipitate of aluminium hydroxide is formed.

$$NaAlO_2 + 2\ H_2O \rightarrow Al(OH)_3 + NaOH$$

The precipitate is filtered, washed, dried and ignited at 1000°C to get alumina.

$$2Al(OH)_3 \xrightarrow{1000^\circ c} Al_2O_3 + 3H_2O$$

(ii) Electrolytic reduction of alumina – Hall's Process

Aluminium is produced by the electrolytic reduction of fused alumina (Al_2O_3) in the electrolytic cell.

Cathode: Iron tank lined with graphite

Anode: A bunch of graphite rods suspended in molten electrolyte.

Electrolyte: Pure alumina+ molten cryolite + fluorspar (fluorspar lowers the fusion temperature of electrolyte)

Temperature: 900 - 950 °C

Voltage used: 5-6 V

Overall reaction: $2\ Al_2O_3 \rightarrow 4\ Al + 3\ O_2\uparrow$




Figure 8.10 Hall's Process

Aluminium is deposited at the cathode and oxygen gas is liberated at the anode. Oxygen combines with graphite to form CO_2.

Physical Properties of Aluminium

- It is a silvery white metal
- It has low density (2.7) and it is light
- It is malleable and ductile
- It is a good conductor of heat and electricity.
- Its melting point is 660 °C.
- It can be polished to produce a shiny attractive appearance.

Chemical Properties of Aluminium

i. **Reaction with air:** It is not affected by dry air. On heating at 800 °C, aluminium burns very brightly forming it's oxide and nitride.

$$4\ Al + 3\ O_2 \rightarrow 2\ Al_2O_3 \text{(Aluminium oxide)}$$

$$2\ Al + N_2 \rightarrow 2\ AlN \text{ (Aluminium nitride)}$$

ii. **Reaction with water:** Water does not react with aluminium due to the layer of oxide on it. When steam is passed over red hot aluminium, hydrogen is produced.

$$2\ Al + 3\ H_2O \rightarrow Al_2O_3 + 3\ H_2\uparrow$$

(steam) (aluminium oxide)

10th_Science_Unit-8.indd 115 11-01-2020 15:29:53