11. **Louver:** The small strips of wood fixed inclined in the shutter is termed as louver.
12. **Putty:** The mixture of lime and linseed oil used for fixing the glass with shutters is termed as putty.

7.2.3 Size and Location of Doors And Windows

The following guidelines should be kept in view while deciding the location of doors and windows in a building.

1. As far as possible door should be located near the corner of a room, but 20 cm away from the corner.
2. The number of doors in a room should be kept minimum to achieve optimum utilisation of space.
3. The window sill should be placed at 75 to 100 cm above the floor level.
4. Windows should be located opposite to each other wherever possible.
5. The size and number of windows should be sufficient to provide adequate light, ventilation and privacy in the room.
6. The shutters of windows in external walls should be opened at outside.

The Size Of Doors:

For Residential buildings

Internal doors -

0.90 × 2.10 m (or) 0.90 × 1.95 m

External doors -

1.20 × 2.10 m (or) 1.00 × 1.95 m

Bathroom doors -

0.75 × 2.10 m (or) 0.75 × 1.95m

For Public buildings

Schools and Hospitals - 1.20 × 2.25 m

Car Shed - 2.25 × 2.75 m

The minimum height of the doors should be 1.80 m.

In general,

Width of the door = 0.40 to 0.60 × height.

Height of the door =Width of the door + 1.20 m

7.2.4 Types of Doors

1. Ledged doors.
2. Ledged and braced doors.
3. Ledged and framed doors.
4. Ledged, braced and framed doors.
5. Framed and panelled doors.
6. Glazed doors.
7. Flush doors.
8. Louvered doors.
9. Collapsible doors.
10. Revolving doors.
11. Rolling shutters.
12. Sliding doors.

7.2.4.1 Ledged Doors

This door consists of a series of vertical battens fixed together with horizontal members known as ledges. There are three ledges named top ledge, bottom ledge and middle ledge. The door is hung on the frame by means of T – Hinge. These types of doors are mostly used for rooms where economy rather than the appearance is the main consideration.



Civil_English_Unit_7.indd 162 12/21/2019 4:57:56 PM