lymph vessels or **lymphatics.** The fluid inside the lymphatics is called **lymph**. The lymphatic system consists of a complex network of thin walled ducts (lymphatic vessels), filtering bodies (lymph nodes) and a large number of lymphocytic cell concentrations in various lymphoid organs. The lymphatic vessels have smooth walls that run parallel to the blood vessels, in the skin, along the respiratory and digestive tracts. These vessels serve as return ducts for the fluids that are continually diffusing out of the blood capillaries into the body tissues. The end of a vessel is shown in Figure 7.4.




Figure 7.4 Drainage of tissue fluid into a lymph vessel

Lymph fluid must pass through the lymph nodes before it is returned to the blood. The lymph nodes that filter the fluid from the lymphatic vessels of the skin are highly concentrated in the neck, inguinal, axillaries, respiratory and digestive tracts. The lymph fluid flowing out of the lymph nodes flow into large collecting duct which finally drains into larger veins that runs beneath the collar bone, the subclavian vein and is emptied into the blood stream. The narrow passages in the lymph nodes are the sinusoids that are lined with macrophages. The lymph nodes successfully prevent the invading microorganisms from reaching the blood stream. Cells found in the lymphatics are the **lymphocytes**. Lymphocytes collected in the lymphatic fluid are carried via the arterial blood and are recycled back to the lymph. Fats are absorbed through lymph in the lacteals present in the villi of the intestinal wall.

1. Why protein molecules of larger size can pass through the lymph vessel?
2. We have seen that capillary walls are not permeable to plasma proteins. Suggest where the protein comes from.
3. The disease kwashiorkor is caused by a diet which is very low in protein. The concentration of proteins in blood becomes much lower than usual. One of the symptoms of kwashiorkor is edema. Give reasons.

7.2 Blood vessels – Arteries, Veins and capillaries

The vessels carrying the blood are of three types; they are the arteries, veins and capillaries. These vessels are hollow structures and have complex walls surrounding the lumen. The blood vessels in humans are composed of three layers, **tunica intima, tunica media** and **tunica externa**. The inner layer, tunica intima or tunica interna supports the vascular endothelium, the middle layer, tunica media is composed of smooth muscles and an extra cellular matrix which contains a protein, elastin. The contraction and relaxation of the smooth muscles results

TN_GOVT_XI_Bio Zoology_Ch07.indd 115 09-01-2020 5.29.25 PM