7.3.6 Area of a Triangle

We know that the **area of a triangle** whose vertices are $(x_1, y_1), (x_2, y_2)$ and (x_3, y_3) is equal to the absolute value of

$$\frac{1}{2}(x_1y_2 - x_2y_1 + x_2y_3 - x_3y_2 + x_3y_1 - x_1y_3).$$

This expression can be written in the form of a determinant as the absolute value of

$$\frac{1}{2}\begin{vmatrix} x_1 & y_1 & 1 \\ x_2 & y_2 & 1 \\ x_3 & y_3 & 1 \end{vmatrix}.$$

Example 7.32

If the area of the triangle with vertices (– 3, 0), (3, 0) and (0, k) is 9 square units, find the values of k .

Solution

$$\text{Area of the triangle} = \text{absolute value of } \frac{1}{2}\begin{vmatrix} x_1 & y_1 & 1 \\ x_2 & y_2 & 1 \\ x_3 & y_3 & 1 \end{vmatrix}.$$

$$9 = \left|\frac{1}{2}\begin{vmatrix} -3 & 0 & 1 \\ 3 & 0 & 1 \\ 0 & k & 1 \end{vmatrix}\right| = \left|\frac{1}{2}(-k)(-3-3)\right|$$

$$\Rightarrow \quad 9 = 3|k| \text{ and hence, } k = \pm 3.$$

Note 7.13

The area of the triangle formed by three points is zero if and only if the three points are collinear. Also, we remind the reader that the determinant could be negative whereas area is always non-negative.

Example 7.33

Find the area of the triangle whose vertices are (– 2, – 3), (3, 2), and (– 1, – 8).

Solution

$$\text{Area of the triangle} = \left|\frac{1}{2}\begin{vmatrix} x_1 & y_1 & 1 \\ x_2 & y_2 & 1 \\ x_3 & y_3 & 1 \end{vmatrix}\right|.$$

$$\left|\frac{1}{2}\begin{vmatrix} -2 & -3 & 1 \\ 3 & 2 & 1 \\ -1 & -8 & 1 \end{vmatrix}\right| = \left|\frac{1}{2}(-20+12-22)\right| = |-15| = 15$$

and therefore required area is 15 sq.units.

Example 7.34

Show that the points (a, $b + c$), (b, $c + a$), and (c, $a + b$) are collinear.

07_11th-Maths-Vol2-Unit7.indd 38 23-03-2019 09:59:02