52. $m_{O_2} = 52.5\ g$ $P_{O_2} = ?$

$m_{CO_2} = 65.1\ g$ $P_{CO_2} = ?$

$T = 300\ K$ $P = 9.21\ atm$

$P_{O_2} = X_{O_2}$ x Total Pressure

$$X_{O_2} = \frac{n_{O_2}}{n_{O_2} + n_{CO_2}}$$

$$n_{O_2} = \frac{\text{Mass of } O_2}{\text{Molar mass of } O_2}$$

$$= \frac{52.5\ g}{32\ g\ mol^{-1}} = 1.64\ mol$$

$$n_{CO_2} = \frac{\text{Mass of } CO_2}{\text{Molar mass of } CO_2}$$

$$= \frac{65.1\ g}{44\ g\ mol^{-1}} = 1.48\ mol$$

$$X_{O_2} = \frac{n_{O_2}}{n_{O_2} + n_{CO_2}} = \frac{1.64}{3.12} = 0.53$$

$$X_{CO_2} = \frac{n_{CO_2}}{n_{O_2} + n_{CO_2}} = \frac{1.48}{3.12} = 0.47$$

$$P_{O_2} = X_{O_2} \times \text{Total pressure}$$

$$= 0.53 \times 9.21\ atm = 4.88\ atm$$

$$P_{CO_2} = X_{CO_2} \times \text{Total pressure}$$

$$= 0.47 \times 9.21\ atm = 4.33\ atm$$

53. Pressure of the gas in the tank at its melting point

$T_1 = 298\ K; P_1 = 2.98\ atom; T_2 = 1100\ K; P_2 = ?$

$$\frac{P_1}{T_1} = \frac{P_2}{T_2}$$

$$\Rightarrow \quad P_2 = \frac{P_1}{T_1} \times T_2$$

$$= \frac{2.98\ atm}{298\ K} \times 1100\ K = 11\ atm$$

At 1100 K the pressure of the gas inside the tank will become 11 atm. Given that tank can withstand a maximum pressure of 12 atm, the tank will start melting first.

11th Std Chemistry 229-289.indd 274 06-01-2021 16:04:48