
4. Milk and cheese are also rich in calcium and phosphate.
5. Foods high in fiber may help to increase the flow of saliva.
6. Chocolates can cause damage to the teeth and cause dental cavities. Other carbohydrates, especially cooked starches, e.g. crisp potato chips can also damage to the teeth
7. Drinking orange juice or carbonated drinks like (cola, sprite, etc.) throughout the day raises the risk of dental cavities tremendously.
8. Chewing ice can cause chipping which can lead to a severe damaging effect in the teeth and tooth fracture.
9. Drinking dark coloured beverages such as wine, beer or alcohol may stain the teeth. Drinking high-concentration alcohol can lead to a dry mouth, which affect the teeth with plaque and bacteria.

5.3.7 Risk factors for Oral problems.

1) Patients who are paralyzed or seriously ill.
2) Unconscious patients.
3) Diabetic patients.
4) Patients undergoing radiation therapy.
5) Patients receiving chemotherapy.
6) Patients having oral surgery and trauma.
7) Patients with immunosuppressant drug.

5.3.8 Common Oral problems

The two major types of oral problems are dental caries (cavities) and periodontal disease. (Pyorrhoea)

Oral problems	Images
1) ***Dental caries*** is the most common oral problem of younger people. The development of the cavities involves the ***destruction of tooth enamel*** through decalcification.	  Tooth Anatomy

Nursing-voc_Unit 05.indd 137 22-02-2019 4.45.23 PM