Altered Body Temperature
Hypothermia: Heat loss during prolonged exposure to cold overwhelms the body ability to produce heat causing hypothermia.
Heat stroke: prolonged exposure to the sun or high environmental temperature can affect the body's heat loss mechanisms.
Frost bite: occurs when tissues freeze. This condition happens when you are exposed to temperatures below the freezing point in skin.
False crisis: A sudden fall in temperature not accompanied by an improvement in the general condition is called false crisis.
Lysis: The temperature falls in a zigzag manner for two of three days of a week before reaching normalduring time, the other symptoms also gradually disappear.
Continuous fever: Constant fever or Continuous fever is one in which the temperature varies not more than two degrees from morning to evening and it does not reach normal for weeks.
Remittent fever: Remittent fever is a fever characterized by variations of more than two degrees from morning to evening but does not reach normal level.
Low pyrexia: In low pyrexia the fever does not rise above 99 to 100°F or 37.2 to 37.8°C
High pyrexia: The temperature remains between 103 to 105°F or 39.4 to 40.6°C

- To drink fluids such as clear fruit juices before, during and after exercise
- To wear loose cotton cloth.
- To avoid exercising in areas with poor ventilation.
- To wear protective hats over the head when going outdoors.

Hypothermia

Educate patient to prevention to handle hypothermia

- Prevent a future decrease in body temperature.
- Remove wet clothes, provide dry ones and wrap the client in blanket.
- If the patient is conscious offer warm liquid such as milk or soups.
- Place the patient in a warm room.
- When the patient reaches emergency treatment, patients are closely monitored for cardiac irregularities and electrolyte imbalances.

6.6.2 Pulse

The rhythmic dilation of an artery that results from beating of the heart. Pulse is often measured by feeling the arteries of the wrist or neck.

The pulse is regulated by the autonomic nervous system through the cardiac sinoatrial node. Parasympathetic stimulation of the SA node via vagus



Your adult heart beats about 100,000 times each day. Do the math, and that's at least one beat every second, or 60 to 100 times a minute, according to the American Heart Association.

Nursing-voc_Unit 06.indd 182 22-02-2019 4.45.57 PM