Signs and symptoms

- At first, "pins-and-needles"
- Paleness followed by numbness
- A hardening and stiffening of the skin.
- A color change to the skin of the affected area. First white, then mottled and blue, eventually black on recovery red, hot painful and blistered.

Management: -

a. Very gently remove gloves rings and other constriction, such as boots

b. Warm the affected part with your hands in your lap or in the casualty armpit. Avoid rubbing because it can damage skin and tissue.

c. Warm the affected part with your hands in your lap or in the casualty armpit. Avoid rubbing because it can damage skin and tissue.

d. Move the casualty into warm before you thaw the affected part, carry her if possible when the feet is affected.

e. Place the affected part in warm water

f. Dry carefully, and apply a high dressing of fluffed-up, dry gauze bandage.

g. Raise and support the limb to reduce swelling.

STUDENT'S ACTIVITY

On at extreme cold, an adult starts experiencing paleness, followed by numbness. Hardening and stiffening of the skin. He then started to see color changes in skin, what could be your plan of action?

7.15 BITES & STINGS

Snake bite

Bites from sharp pointed teeth cause deep puncture wounds that can carry germs far into the tissues. Snake bite results in punctured wounds caused by the fangs of a snake.




Signs and symptoms

- A pair of puncture marks.
- Severe pain at the site of the bite
- Redness and swelling around the bite
- Nausea and vomiting
- Labored breathing in extreme cases
- Disturbed vision.
- Increased salivation and sweating.

Examples of Snakebites



Venomous Snake



Nonvenomous Snake

Treatment

- Reassure the casualty.
- Lay the casualty down. Tell her to keep calm and still.

Nursing-voc_Unit 07.indd 217 2/23/2019 2:50:21 PM