EVALUATION

S231FI

I. Choose the correct answers (1 mark)

1. How should you open the airway of an unconscious casualty?
   b. Head tilt and chin lift.
   c. Head tilt and jaw thrust.
   d. Head tilt and jaw thrust.
   e. None of the above
2. Which is the correct ratio of chest compressions to rescue breaths for use in CPR of an adult casualty?
   c. 2 compressions: 30 rescue breaths.
   d. 5 compressions: 1 rescue breath.
   e. 5 compressions: 2 rescue breaths.
   f. 30 compressions: 2 rescue breaths.
3. What is an open fracture?
   d. A fracture in which the bone ends can move around.
   e. A fracture in which the bone is exposed as the skin is broken.
   f. fracture which causes complications such as a punctured lung.
   g. A fracture in which the bone has bent and split.
4. Which medical condition will develop from severe blood loss?
   e. Shock.
   f. Hypoglycemia.
   g. Anaphylaxis.
   h. Hypothermia.
5. What names are given to the three different depths of burns?
   f. Small, medium and large.
   g. First, second and third degree.
   h. Minor, medium and severe.
   i. Superficial, partial thickness, full thickness.
6. What steps would you take to control bleeding from a nosebleed?
   g. Sit casualty down, lean forward and pinch soft part of nose.
   h. Sit casualty down, lean backward and pinch soft part of nose.
   i. Lie casualty down and pinch soft part of nose.
   j. Lie casualty down and pinch top of nose.
7. The recognition of shock includes
   h. Slow, deep breathes
   i. Slow, strong pulse
   j. Pale, clammy skin
   k. Flushed, dry skin
8. Some people are very allergic to insect bites and stings. This condition is called:
   i. Septic shock
   j. Cardiac arrest
   k. Toxic shock syndrome
   l. Anaphylactic shock
9. In general a splint should be….
   j. Loose, so that the victim can still move the injured limb.
   k. Snug, but not so tight that it slows circulation.
   l. Tied with cravats over the injured area.
   m. None of the above.

Nursing-voc_Unit 07.indd 231 2/23/2019 2:50:29 PM