leaves and root at nodes. Example: *Eichhornia* (water hyacinth), *Pistia* (water lettuce).





**Figure 3.9: (c)** Sucker-*Chrysanthemum* **(d)** Offset-*Eichhornia*

## III. Underground stem modifications

Perennial and some biennial herbs have underground stems, which are generally known as **root stocks**. Rootstock functions as a storage and protective organ. It remains alive below the ground during unfavourable conditions and resumes growth during the favourable conditions.

Underground stems are not roots because they possess nodes, internodes, scale-leaves and buds. Rootstock also lack root cap and root hairs but they possess terminal bud which is a characteristics of stem.

### 1. Bulb

It is a condensed conical or convex stem surrounded by fleshy scale leaves. They are of two types 1. Tunicated (coated) bulb: In which the stem is much condensed and surrounded by several concentric layers of scale leaves. The inner scales commonly fleshy, the outer ones dry. They can be classified into two types (a) Simple Tunicated bulb Example: *Allium cepa* (b) Compound Tunicated bulb. Example: *Allium sativum*.

### 2. Corm

This is a succulent underground stem with an erect growing tip. The corm is surrounded by scale leaves and exhibit nodes and internodes. Example: *Amorphophallus, Colocasia, Colchicum*




**Figure 3.10:** Underground Stem Modification

### 3. Rhizome

This is an underground stem growing horizontally with several lateral growing tips. Rhizome posses conspicuous nodes and internodes covered by scale leaves. Example: *Zingiber officinale, Canna, Curcuma longa, Musa.*

### 4. Tuber

This is a succulent underground spherical or globose stem with many embedded axillary buds called **"eyes".** Example: *Solanum tuberosum, Helianthus tuberosus.*

## IV. Stem Branching

Branching pattern is determined by the relative activity of apical meristems. The mode of arrangement of branches on a stem is known as **branching.** There are two main types of branching, 1. Lateral branching and 2. Dichotomous branching. Based on growth pattern stems may show indeterminate or determinate growth.



XIth_BIO-BOTANY_Ch_3-EM.indd 56 5/17/2020 11:13:03 PM