

avocado seeds or shrimp shells. Compostable plastics can be broken down completely by microbes and turned back into food for plants-carbon dioxide, methane, water and other natural compounds.

3.4.8. Plastic Eating Bacteria

In 2016, scientists from Japan tested different bacteria from a bottle recycling plant and found that Ideonellasakaiens is 201-F6 could digest the plastic used to make single-use drinks bottles that are made of polyethylene terephthalate (PET). The bacteria works by secreting an enzyme known as 'PETase', that breaks down plastic into smaller molecules. These smaller molecules are then absorbed by the bacteria as a food source. The working of the enzyme is diagrammatically shown below:





Although the discovery of the bacteria breaking down plastics is seen as a potential solution to the plastic pollution – it is still very complex! A big issue is the scale of the plastic pollution problem. We consume and produce such large quantities of plastics and this is only increasing. The scale of the bacteria breaking down plastics is much slower and will therefore not solve the crisis we are facing.

Another limitation is that it is restricted to PET resin code #1 plastics, which currently is one of the most recyclable plastics world wide. It will not be a feasible solution to the issue of the large quantities of non-recyclable low-grade plastics which are polluting the environment. That is why it cannot be the solution to plastic pollution on its own!

3.5. Glass – Types And Uses

S7F4F4

Glass can be found wherever we look; a glass window or glass mirror or glass light bulb. Glass is one of the world's oldest and most versatile human created materials. Glass is the only material that can be recycled over and over again without losing its quality. Glass is bit of a riddle. It is hard enough to protect as, but it shatters with incredible ease. It is made from opaque sand, yet, it is completely transparent. Most surprisingly, it behaves like a solid material, but it is also a sort of weird liquid in disguise!

Glass is prepared by heating (SiO_2) silicon-di-oxide until it melts, say to about 1700°C and Sodium Carbonate is added to it. Then it is cooled down really fast. When SiO_2 silicon-di-oxide melts, the silicon and oxygen atoms break out of their crystal structure. If we cooled it slowly, the atoms would slowly line up back into their crystalline arrangement. But if we cool the liquid fast enough, the atoms of the

VII STD Science Term-3 EM unit 3.indd 60 12-11-2019 14:43:45