Serum enzyme	Disease
Lactate dehydrogenase (LDH)	Heart attack, liver diseases, leukemia, pernicious anemia
Creatine Kinase (CK)	Myocardial infarction (early marker), hypothyroidism, alcoholism.
Aldolase	Muscular dystrophy, liver diseases
5′-Nucleotidase	Hepatitis, obstructive jaundice, tumour
γ-Glutamyltranspeptidase (γ-GT)	Alcoholism, infective hepatitis, obstructive jaundice.

EVALUATION

I. Choose the correct answer

1. The catalytic activity of an enzyme is restricted to its small portion called

   (a) active site (b) passive site

   (c) allosteric site (d) all Choices are correct

2. An active enzyme made of polypeptide chain and a co-factor is

   (a) coenzyme (b) substrate

   (c) apoenzyme (d) holoenzyme

3. In human body the optimum temperature for enzymatic activities is

   (a) 37^0C (b) 40^0C

   (c) 25^0C (d) 30^0C

4. Enzymes are sensitive to

   (a) changes in pH (b) changes in temperature

   (c) both A and B (d) none of these

5. Enzyme B requires Zn^{2+} in order to catalyze the conversion of substrate X. The zinc is best identified as a(n):

   (a) coenzyme (b) activator

   (c) substrate (d) product

Unit 4.indd 115 21-05-2018 15:10:06