


LOCATION

Northeastern Africa, within the Tigray, Amhara, and Oromia regions of Ethiopia, reaching into Eritrea in the north.



CLIMATE

Due to the elevation, temperatures are more moderate here than in areas of similar latitude, but with tropical monsoon patterns of rainfall.



Ethiopian klipspringer

Oreotragus saltatrixoides

Unlike many other antelope species, where horns are either absent or smaller in females, Ethiopian klipspringer females grow the same spiked horns as the males. Klipspringers do not form herds, but move around their rock-strewn habitat in breeding pairs, marking territory with dung. The young are kept in hiding for two months and then follow the parents on feeding forays.

- ↔ 34 in (86 cm)
- ⚖ 11–35 lb (5–16 kg)
- ⊗ Locally common
- 🌿 Leaves, flowers
- 🏠

E. Africa

▷ AGILE AND STURDY

The klipspringer's "high-heeled" hooves allow it to perch all four feet in the smallest rocks as it moves around its rugged habitat.


short legs and narrow hooves

speckled coat blends with rocks



Mountain nyala

Tragelaphus buxtoni



A relative of the kudu, not the lowland nyala, the mountain nyala migrates to higher altitudes in the dry season, but descends again when heavy rains arrive. Births peak after the end of the rains, with calves staying with their mother's herd until they are around two years old. Only males grow the tall "lyrate" horns.

- ↔ 7 ft (2.1 m)
- ⚖ 330–705 lb (150–320 kg)
- ⊗ Endangered
- 🌿 Leaves, grasses, ferns, lichen
- 🏠

E. Africa

◁ RELATED FEMALES

Mountain nyalas live in small herds made up of females and their young. Mature males join them for the breeding season.



original vegetation remains

UNDERGROUND GIANT
The giant mole rat lives alone, but in densities of up to 15,000 per sq mile (6,000 per sq km), so each burrow system overlaps many others. Insects and worms disturbed by the mole rats are eaten by alpine chats, which, in return, warn if Ethiopian wolves approach.

GIANT MOLE RAT

