15. Match the following

A) V_2O_5	i) High density polyethylene
B) Ziegler – Natta	ii) PAN
C) Peroxide	iii) NH_3
D) Finely divided Fe	iv) H_2SO_4

	A	B	C	D
a)	(iv)	(i)	(ii)	(iii)
b)	(i)	(ii)	(iv)	(iii)
c)	(ii)	(iii)	(iv)	(i)
d)	(iii)	(iv)	(ii)	(i)

16. The coagulation values in millimoles per litre of the electrolytes used for the coagulation of As_2S_3 are given below

(I) (NaCl)=52 (II) (($BaCl_2$)=0.69 (III) ($MgSO_4$)=0.22

The correct order of their coagulating power is

a) III > II > I b) I > II > III c) I > III > II d) II > III>I

17. Adsorption of a gas on solid metal surface is spontaneous and exothermic, then

a) ΔH increases b) ΔS increases c) ΔG increases d) ΔS decreases

18. If x is the amount of adsorbate and m is the amount of adsorbent, which of the following relations is not related to adsorption process?

a) x/m =f(P) at constant T b) x/m =f(T) at constant P

c) P = f(T) at constant x/m d) x/m = PT

19. On which of the following properties does the coagulating power of an ion depend ? (NEET – 2018)

a) Both magnitude and sign of the charge on the ion.
b) Size of the ion alone
c) the magnitude of the charge on the ion alone
d) the sign of charge on the ion alone.

20. Match the following

A) Pure nitrogen	i) Chlorine
B) Haber process	ii) Sulphuric acid
C) Contact process	iii) Ammonia
D) Deacons Process	iv) sodium azide (or) Barium azide

Which of the following is the correct option?

	A	B	C	D
a)	(i)	(ii)	(iii)	(iv)
b)	(ii)	(iv)	(i)	(iii)
c)	(iii)	(iv)	(ii)	(i)
d)	(iv)	(iii)	(ii)	(i)

XII U10-Surface Chemistry.indd 102 11-01-2021 15:33:53