8. Among the following the achiral amino acid is (AIIMS)

a) 2-ethylalanine
b) 2-methylglycine
c) 2-hydroxymethylserine
d) Tryptophan

9. The correct statement regarding RNA and DNA respectively is (NEET Phase – I)

a) the sugar component in RNA is an arabinos and the sugar component in DNA is ribose

b) the sugar component in RNA is 2'-deoxyribose and the sugar component in DNA is arabinose

c) the sugar component in RNA is an arabinose and the sugar component in DNA is 2'-deoxyribose

d) the sugar component in RNA is ribose and the sugar component in DNA is 2'-deoxyribose

10. In aqueous solution of amino acids mostly exists in,

a) $NH_2$-CH(R)-COOH
b) $NH_2$-CH(R)-$COO^-$
c) $H_3N^+$-CH(R)-COOH
d) $H_3N^+$-CH(R)-$COO^-$

11. Which one of the following is not produced by body?

a) DNA
b) Enzymes
c) Harmones
d) Vitamins

12. The number of sp2 and sp3 hybridised carbon in fructose are respectively

a) 1 and 4
b) 4 and 2
c) 5 and 1
d) 1 and 5

13. Vitamin B2 is also known as

a) Riboflavin
b) Thiamine
c) Nicotinamide
d) Pyridoxine

14. The pyrimidine bases present in DNA are

a) Cytosine and Adenine
b) Cytosine and Guanine
c) Cytosine and Thiamine
d) Cytosine and Uracil

15. Among the following L-serine is

a)
b) 
c) 
d) 

16. The secondary structure of a protein refers to

a) fixed configuration of the polypeptide backbone

b) hydrophobic interaction

c) sequence of α-amino acids

d) α-helical backbone.



XII U14-Biomolecules_New.indd 269 11-01-2021 16:38:04