Titration –II

(Link $FeSO_4$)Vs (Unknown $FeSO_4$ solution)

s.no	Volume of Unknown $FeSO_4$ (ml)	Burette readings		Concordant value (Volume of $KMnO_4$) (ml)
		Initial (ml)	Final (ml)	
1	20			
2	20			
3	20			

Calculation :

Volume of Unknown $FeSO_4$ solution V_1 = 20 ml
Normality of Unknown $FeSO_4$ solution N_1 = ? N

Volume of $KMnO_4$ (link) solution V_2 = ml

Normality $KMnO_4$ (link) solution N_2 = X N

According to normality equation: $V_1 \times N_1 = V_2 \times N_2$

$$N_1 = \frac{V_2 \times N_2}{V_1}$$

$$N_1 = \frac{Y}{_____} \text{ N}$$

The normality of unknown $FeSO_4$ solution = _____ N

Weight calculation:

The amount of $FeSO_4$ dissolved in 1 lit of the solution = (Normality) x (equivalent weight)

The amount of $FeSO_4$ dissolved in 750 ml of the solution $= \frac{\text{Normality x equivalentweight x 750}}{1000}$

$$N_1 = \frac{Y \times 278 \times 3}{4}$$

= g

Report :

The amount of $FeSO_4$ dissolved in 750 ml of the solution = g

organic analysis.indd 267 19-01-2021 12:24:23