The gravitational force between the proton and the electron is attractive. The magnitude of the gravitational force between these particles is

$$F_G = \frac{Gm_e m_p}{r^2}$$
$$= \frac{6.67\times10^{-11}\times9.1\times10^{-31}\times1.6\times10^{-27}}{\left(5.3\times10^{-11}\right)^2}$$
$$= \frac{97.11}{28.09}\times10^{-47} = 3.4\times10^{-47}\ \text{N}$$

The ratio of the two forces

$$\frac{F_e}{F_G} = \frac{8.2\times10^{-8}}{3.4\times10^{-47}} = 2.41\times10^{39}$$

Note that $F_e \approx 10^{39} F_G$

The electrostatic force between a proton and an electron is enormously greater than the gravitational force between them. Thus the gravitational force is negligible when compared with the electrostatic force in many situations such as for small size objects and in the atomic domain. This is the reason why a charged comb attracts an uncharged piece of paper with greater force even though the piece of paper is attracted downward by the Earth. This is shown in Figure 1.3

6I2L9R




Figure 1.3 Electrostatic attraction between a comb and pieces of papers

1.2.1 Superposition principle

Coulomb's law explains the interaction between two point charges. If there are more than two charges, the force on one charge due to all the other charges needs to be calculated. Coulomb's law alone does not give the answer. The superposition principle explains the interaction between multiple charges.

According to this superposition principle, **the total force acting on a given charge is equal to the vector sum of forces exerted on it by all the other charges.**

Consider a system of n charges, namely $q_1, q_2, q_3 \ldots . q_n$. The force on q_1 exerted by the charge q_2

$$\vec{F}_{12} = k\frac{q_1 q_2}{r_{21}^2}\hat{r}_{21}$$

where $\hat{r}_{21}$ is the unit vector from q_2 to q_1 along the line joining the two charges and r_{21} is the distance between the charges q_1 and q_2. The electrostatic force between two charges is not affected by the presence of other charges in the neighbourhood.

The force on q_1 exerted by the charge q_3 is

$$\vec{F}_{13} = k\frac{q_1 q_3}{r_{31}^2}\hat{r}_{31}$$

By continuing this, the total force acting on the charge q_1 due to all other charges is given by

$$\vec{F}_1^{tot} = \vec{F}_{12} + \vec{F}_{13} + \vec{F}_{14} + \ldots\ldots\ldots\vec{F}_{1n}$$

$$\vec{F}_1^{tot} = k\left\{\frac{q_1 q_2}{r_{21}^2}\hat{r}_{21} + \frac{q_1 q_3}{r_{31}^2}\hat{r}_{31} + \frac{q_1 q_4}{r_{41}^2}\hat{r}_{41} + \ldots \right.$$
$$\left. \ldots. + \frac{q_1 q_n}{r_{n1}^2}\hat{r}_{n1}\right\} \qquad (1.3)$$

UNIT-1(XII-Physics_Vol-1).indd 9 14-02-2020 19:32:04