Here $\int_{\substack{Curved\\surface}} dA =$ total area of the curved surface = $2\pi rL$. Substituting this in equation (1.65), we get

$$E \cdot 2\pi rL = \frac{\lambda L}{\epsilon_\circ}$$

$$E = \frac{1}{2\pi\epsilon_\circ}\frac{\lambda}{r} \qquad (1.66)$$

In vector form,

$$\vec{E} = \frac{1}{2\pi\epsilon_\circ}\frac{\lambda}{r}\hat{r} \qquad (1.67)$$

The electric field due to the infinite charged wire depends on $\frac{1}{r}$ rather than $\frac{1}{r^2}$ which is for a point charge.

Equation (1.67) indicates that the electric field is always along the perpendicular direction ($\hat{r}$) to wire. In fact, if $\lambda > 0$ then $\vec{E}$ points perpendicularly outward ($\hat{r}$) from the wire and if $\lambda < 0$, then $\vec{E}$ points perpendicularly inward ($-\hat{r}$).

The equation (1.67) is true only for an infinitely long charged wire. For a charged wire of finite length, the electric field need not be radial at all points. However, equation (1.67) for such a wire is taken approximately true around the mid-point of the wire and far away from the both ends of the wire

(ii) Electric field due to charged infinite plane sheet

Consider an infinite plane sheet of charges with uniform surface charge density σ (charge present per unit area). Let P be a point at a distance of r from the sheet as shown in the Figure 1.38.




Figure 1.38 Electric field due to charged infinite planar sheet

Since the plane is infinitely large, the electric field should be same at all points equidistant from the plane and radially directed outward at all points. A cylindrical Gaussian surface of length $2r$ and two flats surfaces each of area A is chosen such that the infinite plane sheet passes perpendicularly through the middle part of the Gaussian surface.

Total electric flux linked with the cylindrical surface,

$$\Phi_E = \oint \vec{E} \cdot d\vec{A}$$

$$= \int_{\substack{Curved\\surface}} \vec{E} \cdot d\vec{A} + \int_P \vec{E} \cdot d\vec{A} + \int_{P'} \vec{E} \cdot d\vec{A} = \frac{Q_{encl}}{\epsilon_0} \qquad (1.68)$$

The electric field is perpendicular to the area element at all points on the curved surface and is parallel to the surface areas at P and P' (Figure 1.38). Then, applying Gauss' law,

$$\Phi_E = \int_P E\,dA + \int_{P'} E\,dA = \frac{Q_{encl}}{\epsilon_0} \qquad (1.69)$$

Since the magnitude of the electric field at these two equal flat surfaces is uniform, E is taken out of the integration and Q_{encl} is given by $Q_{encl} = \sigma A$, we get

UNIT-1(XII-Physics_Vol-1).indd 43 14-02-2020 19:33:22