Name of disesae	Pathogen	Mode of transmission	Incubation period	Symptoms	Therapy
Poliomyelitis	Polio-virus	Direct and oral	7-14 days	Damages motor neurons causing stiffness of neck, convulsion, paralysis of generally legs	Physiotherapy
Measles	Rubella-virus	Contagious and Droplet infection	10 days	Rubeola (skin eruptions), coughing, sneezing	Antibiotics and sulpha drugs
Mumps	Mumps-virus	Contagious and Droplet infection	12-26 days	Painful enlargement of parotid salivary glands	Antibiotics
Rabies (Hydrophobia)	Rabies-virus	Indirect and inoculative	10 days to 1- 3 months	Spasm of throat and chest muscles, fears from water, paralysis and death	Pasteur-treatment
Influenza (Flu)	Myxovirus influenzae	Air borne and pandemic	24-48 Hours Lasts for 4-5 days	Bronchitis, sneezing bronchopneumonia, leucopenia, coughing	Antibiotic therapy
Hepatitis (Epidemic Jaundice)	Hepatitis-B virus	Direct and oral	20-35 days	Damage to liver cells releasing bilirubin, jaundice	Hepatitis-B vaccine
Chikungunya	chikungunya virus	infected *Aedes aegypti* mosquitoes (vector)	3 weeks	rash, muscle pain, fever and severe joint pain	Antipyretics, analgesics, fluids, and rest
Dengue fever	*Dengue virus*	infected *Aedes aegypti and Aedes albopictus* mosquitoes (vector)	3 to 14 days	Fever, Headache, Rash appearing between the second and fifth day of fever, Platelets reduction	Intravenous (IV) fluids, acetaminophen

XII U10 Immunology.indd 234 4/8/2020 3:27:54 PM