
Protocol for protein estimation

S. No.	Reagents required	Blank B	Standard					Test solution	
			S1	S2	S3	S4	S5	T_1	T_2
1.	Standard protein (ml)	-	0.5	1.0	1.5	2.0	2.5	-	-
2.	Concentration of protein (mg)	-	0.5	1.0	1.5	2.0	2.5	-	
3.	Test solution (ml)	-	-	-	-	-	-	0.5	1.0
4.	Distilled water(ml)	5	4.5	4.0	3.5	3.0	2.5	4.5	4.0
5.	Biuret reagent (ml)	3	3	3	3	3	3	3	3
6.	Optical density at 540nm								

Graph

Let the optical density of tubes T_1 & T_2 be A and the corresponding protein concentration is B as shown in the graph.



Calculation

T_1

0.5ml of the test solution corresponds to _____ mg of protein.

Therefore, 100ml of the test solution will contain = $\frac{100 \times \text{_____ mg of protein}}{0.5}$

= Z mg of protein

T_2

1.0ml of the test solution corresponds to _____ mg of protein.

Therefore, 100ml of the test solution will contain = $\frac{100 \times \text{_____ mg of protein}}{1.0}$

= Z mg of protein

Result:

The amount of protein present in 100ml of the given test solution = Z mg of protein.

Practical_Bio-Chem-EM.indd 270 4/8/2020 3:28:52 PM