Table 7.1. Bacterial diseases in human beings

S. No	Diseases	Causative agent	Site of infection	Mode of transmission	Symptoms
1	Shigellosis (Bacillary dysentery)	*Shigella sp.*	Intestine	Food and water contaminated by faeces / faecal oral route	Abdominal pain, dehydration, blood and mucus in the stools
2	Bubonic plague (Black death)	*Yersinia pestis*	Lymph nodes	Rat flea vector- *Xenopsylla cheopis*	Fever, headache, and swollen lymph nodes
3	Diphtheria	*Corynebacterium diphtheriae*	Larynx, skin, nasal and genital passage	Droplet infection	Fever, sore throat, hoarseness and difficulty in breathing
4	Cholera	*Vibrio cholerae*	Intestine	Contaminated food and water/ faecal oral route	Severe diarrhoea and dehydration
5	Tetanus (Lock jaw)	*Clostridium tetani*	Spasm of muscles	Through wound infection	Rigidity of jaw muscle, increased heart beat rate and spasm of the muscles of the jaw and face
6	Typhoid (Enteric fever)	*Salmonella typhi*	Intestine	Through contaminated food and water	Headache, abdominal discomfort, fever and diarrhoea
7	Pneumonia	*Streptococcus pneumoniae*	Lungs	Droplet infection	Fever, cough, painful breathing and brown sputum
8	Tuberculosis	*Mycobacterium tuberculosis*	Lungs	Droplet infection	Thick mucopurulant nasal discharge

Common cold is caused by more than 150 different strains of Rhino viruses. More over their RNA genome keeps changing due to mutation. Hence it is very difficult to prepare a common vaccine for the disease.

by sharing utensils, dresses with an infected person. Typhoid fever can be confirmed by **Widal test**.

Viral diseases

Viruses are the smallest intracellular obligate parasites, which multiply within

TN_GOVT_XII_Bio_Zoology_EM_chapter 7.indd 109 20-03-2020 10.34.16 AM