Genetic defects could be corrected by a process called Gene therapy. It is of two types somatic cell gene therapy and germline gene therapy.

Stem cells are undifferentiated cells found in multicellular organisms. These cells are of two types -Embryonic stem cells and adult stem cells. Stem cells have the ability to regenerate damaged and diseased organs. Recombinant DNA technology, Polymerase chain reaction and Enzyme Linked Immunosorbent Assay are techniques that are reliable and help in early diagnosis.

Transgenesis is the process of introduction of a foreign gene into the genome of animals to create and maintain stable heritable characters.

A biological product is a substance derived from a living organism and used for the prevention or treatment of diseases.

Cloning is the process of producing genetically identical individuals of an organism either naturally or artificially.

Advances in Biotechnology and their applications are most frequently associated with controversies, ethical issues and concerns.

Evaluation

1. The first clinical gene therapy was done for the treatment of
   a) AIDS
   b) Cancer
   c) Cystic fibrosis
   d) SCID



2. Dolly, the sheep was obtained by a technique known as
   a) Cloning by gene transfer
   b) Cloning without the help of gametes
   c) Cloning by tissue culture of somatic cells
   d) Cloning by nuclear transfer
3. The genetic defect adenosine deaminase deficiency may be cured permanently by
   a) Enzyme replacement therapy
   b) Periodic infusion of genetically engineered lymphocytes having ADA cDNA
   c) Administering adenosine deaminase activators
   d) Introducing bone marrow cells producing ADA into embryo at an early stage of development
4. How many amino acids are arranged in the two chains of Insulin?
   a) Chain A has 12 and Chain B has 13
   b) Chain A has 21 and Chain B has 30 amino acids
   c) Chain A has 20 and chain B has 30 amino acids
   d) Chain A has 12 and chain B has 20 amino acids.
5. PCR proceeds in three distinct steps governed by temperature, they are in order of
   a) Denaturation, Annealing, Synthesis
   b) Synthesis, Annealing, Denaturation
   c) Annealing, Synthesis, Denaturation
   d) Denaturation, Synthesis, Annealing
6. Which one of the following statements is true regarding DNA polymerase used in PCR?
   a) It is used to ligate introduced DNA in recipient cells
   b) It serves as a selectable marker
   c) It is isolated from a Virus
   d) It remains active at a high temperature
7. ELISA is mainly used for
   a) Detection of mutations
   b) Detection of pathogens
   c) Selecting animals having desired traits
   d) Selecting plants having desired traits
8. Transgenic animals are those which have
   a) Foreign DNA in some of their cells
   b) Foreign DNA in all their cells
   c) Foreign RNA in some of their cells
   d) Foreign RNA in all their cells
9. Vaccines that use components of a pathogenic organism rather than the whole organism are called
   a) Subunit recombinant vaccines
   b) attenuated recombinant vaccines
   c) DNA vaccines
   d) conventional vaccines
10. Mention the number of primers required in each cycle of PCR. Write the role of primers and DNA polymerase in PCR. Name the source organism of the DNA polymerase used in PCR.

TN_GOVT_XII_Bio_Zoology_EM_chapter 9.indd 159 20-03-2020 10.36.18 AM