Glossary

Abiogenesis – The emergence of life forms from non-living chemical systems. In contrast with spontaneous generation, abiogenesis is not a process that biologists think continues in a particular environment, such as a planet or moon, once a living system has emerged.

Acidogenesis – Conversion of simple organic materials into acetate, H_2 and CO_2 by acidogenic bacteria.

Algal bloom – Presence of large amounts of nutrients in waste water causing excessive growth of planktonic algae.

Allergy - A hypersensitivity reaction that can involve various deleterious effects.

Anthropogenic causes– Problems created by human

Anthropology – The study of differences and similarities, both biological and cultural, in human populations. Anthropology is concerned with typical biological and cultural characteristics of human populations in all periods and in all parts of the world.

Antisense DNA– It is the non coding strand complementary to the coding strand in double stranded DNA. The antisense strand serves as a template for mRNA synthesis.

Apoptosis– Is a form of programmed cell death that occurs in multicellular organisms.

Attenuated – Reduced in virulence.

Autoradiography – It is the use of X-ray or photographic film to detect radioactive materials.

Bacteriophages– Viruses which infect bacterial cells.

Biogeography - The scientific study of the geographic distribution of organisms.

Canopy – The canopy is the above ground portion of a plant community or crop, formed by the collection of individual plant crowns.

Carcinogens– Substances causing cancer.

Cardiac arrhythmia– Any variation from the normal rhythm in the heartbeat.

Carrier – An individual heterozygous for a recessive gene that is not expressed.

Catastrophic– Something or substance that involves or causes a sudden terrible disaster.

Chemical Oxygen Demand - A measure of the oxygen required to oxidize soluble and particulate organic matter in water.

Cirrhosis - Scarring of the liver that impairs its functioning.

Co-dominance – In a heterozygote, the dominant and recessive allele is capable of phenotypic expression.

Coacervates – Are the microscopic spontaneously formed spherical aggregates of lipid molecules that are held together by electrostatic forces and that may have been precursor of cells. They are the cluster of molecular aggregates in colloidal form which are bounded by a membrane and grows by absorbing molecules from the environment. Oparin believed that life developed from coacervates.

Cytolysis - Destruction of cells.

Cursorial – A cursorial organism is one that is adapted specifically to run. Cursorial organisms are typically adapted to long-distance running at high speeds, rather than animals with high acceleration over short distances; thus, a cheetah is considered cursorial, while a leopard is not.

Denaturing – Denaturing means separation or splitting of the double helix into single stands by breaking hydrogen bonds between the two strands.

Dendritic cells - Professional antigen presenting cells that have long membrane processes.

Diapedesis - The movement of blood cells (leucocytes) out of the circulatory system and towards the site of tissue damage or infection accompanying inflammation.

Dinosaurs - a term coined by Sir Richard Owen for giant extinct reptiles. Group of animals that

TN_GOVT_XII_Bio_Zoology_EM_Glossary.indd 218 20-03-2020 10.38.50 AM