6.1 Origin of life – Evolution of life forms

Theory of special creation states that life was created by a supernatural power, respectfully referred to as "God". According to Hinduism, Lord Brahma created the Earth. Christianity, Islam and most religions believe that God created the universe, the plants and the animals.

According to **the theory of spontaneous generation** or Abiogenesis, living organisms originated from non-living materials and occurred through stepwise chemical and molecular evolution over millions of years. Thomas Huxley coined the term abiogenesis.

Big bang theory explains the origin of universe as a singular huge explosion in physical terms. The primitive earth had no proper atmosphere, but consisted of ammonia, methane, hydrogen and water vapour. The temperature of the earth was extremely high. UV rays from the sun split up water molecules into hydrogen and oxygen. Gradually the temperature cooled and the water vapour condensed to form rain. Rain water filled all the depressions to form water bodies. Ammonia and methane in the atmosphere combined with oxygen to form carbon-dioxide and other gases.

Coacervates (large colloidal particles that precipitate out in aqueous medium) are the first pre-cells which gradually transformed into living cells.

According to the **theory of biogenesis** life arose from pre-existing life. The term biogenesis also refers to the biochemical process of production of living organisms This term was coined by Henry Bastian.

According to the **theory of chemical evolution** primitive organisms in the primordial environment of the earth evolved spontaneously from inorganic substances and physical forces such, as lightning, UV radiations, volcanic activities, etc.,., Oparin (1924) suggested that the organic compounds could have undergone a series of reactions leading to more complex molecules. He proposed that the molecules formed colloidal aggregates or 'coacervates' in an aqueous environment. The coacervates were able to absorb and assimilate organic compounds from the environment. Haldane (1929) proposed that the primordial sea served as a vast chemical laboratory powered by solar energy. The atmosphere was oxygen free and the combination of CO_2, NH_3 and UV radiations gave rise to organic compounds. The sea became a 'hot' dilute soup containing large populations of organic monomers and polymers. They envisaged that groups of monomers and polymers acquired lipid membranes and further developed into the first living cell. Haldane coined the term prebiotic soup and this became the powerful symbol of the Oparin-Haldane view on the origin of life (1924-1929).

Oparin and Haldane independently suggested that if the primitive atmosphere was reducing and if there was appropriate supply of energy such as lightning or UV light then a wide range of organic compounds can be synthesized.

6.2 Geological time scale

The duration of the earth's history has been divided into **eras** that include the **Paleozoic, Mesozoic,** and **Cenozoic.** Recent eras are further divided into **periods,** which are split into **epochs.** The geological time scale with the duration of the eras and periods with the dominant forms of life is shown in **Table 6.1.**

HDCIQG

The Paleozoic era is characterized by abundance of fossils of marine invertebrates. Towards the later half, other vertebrates (marine and terrestrial) except birds and mammals

TN_GOVT_XII_Bio_Zoology_EM_chapter 6.indd 90 20-03-2020 10.27.53 AM