pain and have dyspnoea (shortness of breath). The sputum of patient is chocolate brown. Amoebic trophozoites may be demonstrated in the sputum.

3. **Cerebral amoebiasis:** The condition is unusual. In cerebral amoebiasis, the abscess is single, small and is located in the cerebral hemisphere. The patient may die of rupture or involvement of cerebellam within 12–72 hours. Biopsy of the brain shows the amoebic trophozoites.
4. **Cutaneous amoebiasis:** It can be caused by perforation of an amoebic abscess or surgical wound infected with amoebae. It is less frequent condition.
5. **Genitourinary Amoebiasis:** This condition includes amoebiasis of the kidney and genital organs. Amoebiasis of the genital organs is a rare condition. Lesions of amoebiasis is shown in Figure 8.5.




Figure 8.5: Extra-intestinal amoebiasis

8.2.7 Laboratory Diagnosis

Specimens: Stool is the specimen of choice. Other specimens collected includes blood, rectal exudates and rectal ulcer tissue collected from the base by endoscopies.

Methods in examination of stool

A. Direct wet mount examination of stool: Demonstration of mature quadrinucleate cysts or trophozites in stool is diagnostic of intestinal amoebiasis. The wet mount of stool is prepared in the saline, iodine or lacto phenol cotton blue.

B. Examination of stool after concentration: Demonstration of amoebic cysts by Formalin – ether is the method of choice.

C. Examination of stained stool smears: Staining by iron haematoxylin, Periodic Acid – Schiff (PAS) stains demonstrate the presence of both trophozoites and cyst.

Amoebic liver abscess (ALA): Demonstration of amoebic trophozoites in the aspirated liver pus establishes the diagnosis of ALA.

Serology: Detection of amoebic antigens in the serum by Enzyme Linked Immunosorbent Assay (ELISA).

Molecular diagnosis: PCR (Polymerase chain reaction) is employed to detect amoebic genome in the aspirated liver pus for the diagnosis of ALA.

Imaging methods: X – Ray magnetic resonance imaging (MRI) scan and computerized Axial Tomography (CAT) Scan are the imaging methods used.

TN_GOVT_XII_Micro_Biology_CH08.indd 162 27-02-2019 14:53:00