1. **Tinea Capitis:** This is an infection of the **shaft of scalp hairs**. It can be inflammatory (eg. Kerion, Favus) or non - inflammatory (Black dot, Seborrheic dermatitis). The infected hairs appear dull and grey (Figure 9.5a). Breakage of hair at follicular orifice which creates patches of alopecia with black dots of broken hair. It is caused by *Trichophyton* species.
2. **Tinea Corporis:** This is an infection on the **glabrous (non - hairy) skin** of body. Erythematous scaly lesions with sharply marginated raised border appear on the infected areas (Figure 9.5b). It is caused by *Trichophyton rubrum*.
3. **Tinea Imbricata:** It forms concentric rings of scaling on the **glabrous skin**, leading to lichenification. It is caused by *Trichophyton concentricum*
4. **Tinea Gladiatorum:** This infection is common among wrestlers and athletes. Lesions are seen on **arms, trunk or head and neck**. It is caused by *Trichophyton tonsurans*.
5. **Tinea Incognito:** It is steroid modified Tinea caused as a result of misuse of corticosteroids in combination with topical antimycotic drugs.
6. **Tinea Faciei:** This is an infection of **skin of face** except beard. Erythematous annular plaques are formed. It is one of the forms of Tinea incognito.
7. **Tinea Barbae:** This is the infection of the **beard and moustache** areas of the face. This is also called **barber's itch.** It is caused by *Trichophyton mentagrophytes*, *Trichophyton rubrum* and *Microsporum canis*. Erythematous patches on the face with scaling appear and these develop folliculitis.
8. **Tinea Pedis:** This is an infection of the **foot, toes and interdigital web spaces**. This is seen among the individuals wearing shoes for long hours and known as **Athlete's foot** (Figure 9.5c). Erythema and scaling associated with itching and burning sensation appear with thin fluid discharging from small vesicles. It is caused by *Trichophyton mentagrophytes*, *Trichophyton rubrum* and *Epidermophyton floccosum*.
9. **Tinea Cruris:** This is an **infection of the groin** in men who use long term tight fitting garments. Erythematous



(a) Tinea Capitis



(b) Tinea Corporis



(c) Tinea Pedis

Figure 9.5: Clinical conditions of Dermatophytes

TN_GOVT_XII_Micro_Biology_CH09.indd 194 27-02-2019 14:55:16