Table 10.2: Difference between Dengue and Chikungunya

S.No	Factors	Chikungunya	Dengue
1.	Vector	*Aedes aegypti*	*Aedes aegypti*
2.	Virus	Toga viridae - alphavirus	Flavi viridae - flavivirus
3.	Incubation Period	3-7 days	4-7 weeks
4.	Symptoms	Chikungunya begins as an **acute febrile** illness. Pain can be severe. Other common symptoms include headache, muscle pain, joint swelling, and rash. Some patients have persistence or relapse of rheumatologic symptoms in the months following acute illness.	Dengue is an **acute febrile** illness. **Febrile Phase:** Lasts 2–7 days Fever with Headache, retro-orbital pain, joint pain, muscle and or bone pain, rash, mild bleeding (nose or gums) **Critical Phase:** Lasts 24–48 hours. Most patients improve but severe disease requiring hospitalization can occur. **Recovery Phase:** Gradual reabsorption of extravasated fluid from plasma leakage over 48–72 hours. Dieresis, hemodynamic status stabilizes,patient can temporarily become bradycardic.
5	Major symptom	Tremendous Joint pain	Bleeding and breath discomfort
6	Person at risk	Neonates exposed intrapartum, older adults, and persons with underlying medical conditions.	Some patients may develop life threatening consequences and require hospitalization. Infection with each dengue virus type confers lifetime immunity for that specific virus type.

Infobits

Which fruit is good to increase platelet count?

Pomegranate is another great fruit you can eat to increase platelets. As with all **red**fruits, the seeds of this **delicious** fruit are packed with iron, an **essential** mineral for combating low platelet count. **Pomegranate** has been used since the ancient times for its healthy and medicinal properties.

10.7.3 Zika Virus

Zika virus is a mosquito-borne flavivirus that was identified in Uganda in 1947 in **monkeys**. Zika spreads by daytime-active Aedes mosquitoes, such as *A. aegypti* and *A. albopictus*. The infection is known as **Zika fever** or **Zika virus disease**. Zika is related to the dengue, yellow fever, Japanese encephalitis, and West Nile viruses

Zika virus is **enveloped and icosahedral** and has a non segmented,

TN_GOVT_XII_Micro_Biology_CH10.indd 226 04-03-2019 12:27:11