Examples of tolerance to toxicity

i. Soyabean and tomato manage to tolerate presence of cadmium poisoning by isolating cadmium and storing into few group of cells and prevent cadmium affecting other cells .

ii. Rice and *Eichhornia* (water hyacinth) tolerate cadmium by binding it to their proteins.

These plants otherwise can also be used to remove cadmium from contaminated soil ,this is known as **Phytoremediation.**

d. Wind

Air in motion is called wind. It is also a vital ecological factor. The atmospheric air contains a number of gases, particles and other constituents. The composition of gases in atmosphere is as follows: Nitrogen -78% , Oxygen -21%, Carbon-di-oxide -0.03%, Argon and other gases - 0.93%. The other components of wind are water vapour, gaseous pollutants, dust, smoke particles, microorganisms, pollen grains, spores, etc. **Anemometer** is the instrument used to measure the speed of wind.



Green House Effect
Albedo Effect

Gases let out to atmosphere causes climatic change. Emission of dust and aerosols (small solids or liquid particles in suspension in the atmosphere) from industries, automobiles, forest fire, So_2 and DMS (dimethyl sulphur) play an important role in disturbing the temperature level of any region. Aerosols with small particles is reflecting the solar radiation entering the atmosphere. This is known as **Albedo effect**. So it reduces the temperature (cooling) limits, photosynthesis and respiration. The sulphur compounds are responsible for **acid rain** due to acidification of rain water and destroy the ozone.

Effects of wind

- Wind is an important factor for the formation of rain
- Causes wave formation in lakes and ocean, promotes aeration of water
- Strong wind causes soil erosion and reduces soil fertility
- Increases the rate of transpiration
- Helps in pollination in anemophilous plants
- It also helps in dispersal of many fruits, seeds, spores, etc.
- Strong wind may cause up-rooting of big trees
- Unidirectional wind stimulates the development of **flag forms** in trees.



Figure 6.6: Flag form in trees

e. Fire

Fire is an exothermic factor caused due to the chemical process of combustion, releasing heat and light. It is mostly man-made and sometimes develops naturally due to the friction between the tree surfaces. Fire is generally divided into

1. **Ground fire** – Which is flameless and subterranean.
2. **Surface fire** – Which consumes the herbs and shrubs.
3. **Crown fire** – Which burns the forest canopy.

Effects of fire

- Fire has a direct lethal effect on plants
- Burning scars are the suitable places for the entry of parasitic fungi and insects
- It brings out the alteration of light, rainfall, nutrient cycle, fertility of soil, pH, soil flora and fauna
- Some fungi which grow in soil of burnt areas called pyrophilous.

  Example: *Pyronema confluens*.

TN_GOVT_BIOLOGY-BOTANY_XII_PAGES_122-147 CH 06.indd 114 3/14/2020 11:38:35 AM