b. Parasitism: It is an interaction between two different species in which the **smaller partner** (parasite) obtains food from the **larger partner** (host or plant). So the parasitic species is benefited while the host species is harmed. Based on the host-parasite relationship, parasitism is classified into two types they are holoparasite and hemiparasite.

Holoparasites

The organisms which are dependent upon the host plants for their entire nutrition are called **Holoparasites**. They are also called **total parasites**.




Figure 6.14: a) Holoparasite – *Cuscuta*
b) A Partial stem parasite – *Viscum*
c) Root parasite on the brinjal root *Orobanche* spp.

Examples:

- *Cuscuta* is a total stem parasite of the host plant *Acacia*, *Duranta* and many other plants. *Cuscuta* even gets flower inducing hormone from its host plant.
- *Balanophora, Orobanche* and *Rafflesia* are the total root parasites found on higher plants.

Hemiparasites

The organisms which derive only water and minerals from their host plant while synthesizing their own food by photosynthesis are called **Hemiparasites**. They are also called **partial parasites**.

Examples:

- *Viscum* and *Loranthus* are **partial stem parasites**.
- *Santalum* (Sandal Wood) is a **partial root parasite**.

The parasitic plants produce the **haustorial roots** inside the host plant to absorb nutrients from the vascular tissues of host plants.

c. Competition: It is an interaction between two organisms or species in which both the organisms or species are harmed. Competition is the severest in population that has irregular distribution. Competition is classified into intraspecific and interspecific.

1. **Intraspecific competition:** It is an interaction between individuals of the same species. This competition is very severe because all the members of species have similar requirements of food, habitat, pollination etc. and they also have similar adaptations to fulfill their needs.

2. **Interspecific competition:** It is an interaction between individuals of different species. In grassland, many species of grasses grow well as there is little competition when enough nutrients and water is available. During drought shortage of water occurs . A life and death competition starts among the different species of grass lands. Survival in both these competitions is determined by the quantity of nutrients, availability of water and migration to new areas. Different species of herbivores, larvae and grass hopper competing for fodder or forage plants. Trees, shrubs and herbs in a forest struggle for sunlight, water and nutrients and also for pollination and dispersal of fruits and seeds. The *Utricularia* (Bladderwort) competes with tiny fishes for small crustaceans and insects.

TN_GOVT_BIOLOGY-BOTANY_XII_PAGES_122-147 CH 06.indd 120 3/14/2020 11:38:38 AM