genetic transformation. The Bt brinjal has been developed to give resistance against *Lepidopberan* insects, in particular the Brinjal Fruit and Shoot Borer (*Leucinodes orbonalis*).

iii. Dhara Mustard Hybrid (DMH)



Figure 4.27: Dhara Mustard

DMH -11 is transgenic mustard developed by a team of scientists at the Centre for Genetic Manipulation of Crop Plants Delhi University under Government sponsored project. It is genetically modified variety of Herbicide Tolerant (HT) mustard. It was created by using "barnase/barstar" technology for genetic modification by adding genes from soil bacterium that makes mustard, a self-pollinating plant. DMH -11 contains three genes viz. Bar gene, Barnase and Barstar sourced from soil bacterium. The bar gene had made plant resistant to herbicide named Basta.

4.8.4 Virus Resistance

Many plants are affected by virus attack resulting in series loss in yield and even death. Biotechnological intervention is used to introduce viral resistant genes into the host plant so that they can resist the attack by virus. This is by introducing genes that produce resistant enzymes which can deactivate viral DNA.

4.8.5 FlavrSavr Tomato



Figure 4.28: FlavrSavr Tomato

Agrobacterium mediated genetic engineering technique was followed to produce Flavr-Savr tomato, i.e., retaining the natural colour and flavor of tomato.

Through genetic engineering, the ripening process of the tomato is slowed down and thus prevent it from softening and to increase the shelf life. The tomato was made more resistant to rotting by *Agrobacterium* mediated gene transfer mechanism of introducing an antisense gene which interferes with the production of the enzyme polygalacturonase, which help in delaying the ripening process of tomato during long storage and transportation.

4.8.6 Golden rice - Biofortification

Golden rice is a variety of *Oryza sativa* (rice) produced through genetic engineering of biosynthesized beta-carotene, a precursor of Vitamin-A in the edible parts of rice developed by Ingo Potrykus and his group. The aim is to produce a fortified food to be grown and consumed in areas with a shortage of dietary Vitamin-A. Golden rice differs from its parental strain by the addition of three beta-carotene biosynthesis genes namely 'psy' (phytoene synthase) from daffodil plant *Narcissus pseudonarcissus* and 'crt-1' gene from the soil bacterium *Erwinia auredorora* and 'lyc' (lycopene cyclase) gene from wild-type rice endosperm.

The endosperm of normal rice, does not contain beta-carotene. Golden-rice has been genetically altered so that the endosperm now accumulates Beta-carotene. This has been done using Recombinant DNA technology. Golden rice can control childhood blindness - Xerophthalmia.



Figure 4.29: Golden rice

GM Food - Benefits

- High yield without pest
- 70% reduction of pesticide usage
- Reduce soil pollution problem
- Conserve microbial population in soil

TN_GOVT_BIOLOGY-BOTANY_XII_PAGES_078-106 CH 04.indd 84 3/14/2020 10:34:00 AM