42. What is thermal stratification? Mention their types.

43. How is rhytidome act as the structural defence by plants against fire?

44. What is myrmecophily?

45. What is seed ball?

46. How is anemochory differ from zoochory?

47. What is co evolution?

48. Explain Raunkiaer classification in the world's vegetation based on the temperature.

49. List out the effects of fire to plants.

50. What is soil profile? Explain the characters of different soil horizons.

51. Give an account of various types of parasitism with examples.

52. Explain different types of hydrophytes with examples.

53. Enumerate the anatomical adaptations of xerophytes.

54. List out any five morphological adaptations of halophytes.

55. What are the advantages of seed dispersal?

56. Describe dispersal of fruit and seeds by animals.

Glossary

Antibiosis: An association of two organisms which is harmful to one of them.

Biome: A major regional community of plants and animals with similar life forms and environmental conditions.

Biosphere: The envelope containing all living organisms on earth.

Community: A group of organism living in the same place.

Flora: The kinds of plants in region

Frugivores: Fruit eating organisms

Hekistotherms: (Temperature less than 70°C) Where very low temperature prevails and the dominant vegetation is alpine vegetation.

Landscape: The visible features of an area of land.

Lianes: Twining vines with woody stems, common in forest of warm climate.

Megatherms: (Temperature more than 240°C) Where high temperature prevails throughout the year and the dominant vegetation is tropical rain forest.

Mesotherms: (Temperature ranges between 170°C and 240°C) Where high temperature alternates with low temperature and the dominant vegetation is tropical deciduous forest.

Microtherms: (Temperature ranges between 70°C and 170°C) Where low temperature prevails and the dominant vegetation is mixed coniferous forest.

Population: A group of individuals of a single species.

Scotoactive type of stomata: Stomata opens during night in succulent plants and closes during the day.

Vivipary: When seeds or embryos begin to develop before they detach from the parent.

TN_GOVT_BOTANY_XII_PAGES_136-161 CH 06.indd 147 3/8/2020 2:52:23 PM